

World Conference on Transport Research - WCTR 2019 Mumbai 26-31 May 2019

Reducing Traffic Congestion in Beirut: An Empirical Analysis of Selected Policy Options¹

Alex Anas, Sayan De Sarkar, Maya Abou Zeid, Govinda Timilsina, Ziad Nakat²

Abstract

Beirut, the capital city of Lebanon, faces huge traffic congestion, the cost of which is estimated to be more than 2 percent of the city's gross regional product. Effective policies are needed, based on weighing their overall economic cost and benefit to society. This study developed an empirical model based on microeconomic theory, accounting for production and consumption behavior related to transportation in the Greater Beirut Area, to simulate various policy combinations. A key finding of the study is that individual supply-side policies, such as the expansion of roads or introduction of a bus rapid transit system, are quite effective at reducing traffic congestion while increasing economic output and welfare. They also account for most of the benefits from implementing policy packages with supply- and demand-side measures. The introduction of bus rapid transit with expansion of the road system to feed the bus rapid transit system reduces congestion by about 16 percent and congestion costs by more than 50 percent. This would increase Beirut's gross regional product by roughly 2 percent, and the average social welfare of the residents of Beirut by 4 percent. In contrast, demand-side instruments, implemented alone, lower gross regional product and welfare with limited effects on congestion.

© 2018 The Authors. Published by Elsevier B.V.

Peer-review under responsibility of WORLD CONFERENCE ON TRANSPORT RESEARCH SOCIETY.

Keywords: Urbanization, Traffic congestion, Urban transportation management, Beirut **JEL Classification:** R13, R41

1. Introduction

Urban transportation in Beirut, the capital city of Lebanon, where more than 40% of the country's total population lives, is facing several challenges, including inadequate infrastructure, traffic congestion, local air pollution and road accidents. The fifteen-year civil war between 1975 and 1990 caused significant destruction of the transportation infrastructure and contributed to the deterioration of the public transport system (Diab and Obeid, 2012). Expansion of urban transport capacity is not meeting the speed of population growth and urbanization, the centralization of activity around the capital and more recently the huge refugee influx from the Syrian Arab

¹ The author would like to thank Mike Toman and Harris Selod for their valuable comments and suggestions. We acknowledge the financial support from World Bank's Strategic Research Program (SRP) Trust Fund. The views and interpretations are of author's and should not be attributed to the World Bank Group.

² Anas, De Sarkar: Department of Economics, State University of New York at Buffalo; Abou Zeid: American University of Beirut, Lebanon; Timilsina: The World Bank, Washington, D.C.; Nakat: World Bank, Lebanon.



Republic. Traffic congestion is considered one of Beirut's most serious urban development problems.

The urban transportation problem is such that up to 70% of travel time in the Greater Beirut Area (GBA) is lost in delays due to traffic congestion, and the average reported intermodal road speed is 11 kilometers per hour (calculated as the weighted average speed across all modes). Car speed is within 9.4-13.5 km/hour. Bus speed is 6.5-9.3 km/hour, minibus speed is 7.5-10.8 km/hour and taxi speed is in the range of 8.6-12.3 km/hour (all calculated from Abou Zeid and Hassan (2016)). The congestion problem is increasing due to rapid motorization along with increased household income and growth of middle income households. Almost half of the total vehicles in Lebanon circulate in the GBA and the traffic volume in the GBA reaches 7,000 vehicles per hour in the northern entrance of Beirut (World Bank, 2015).

Traditionally in developing as well as developed countries, supply-side measures are offered to address traffic congestion problems. These include expansion of road networks and improvement of public transportation systems through the introduction of new or the expansion of existing light rail transit, bus rapid transit and metro systems (see, for example Chalak et al. (2016)). In addition to these supply side responses, there is growing interest in using demand side measures, particularly fiscal or pricing reforms to address the broader societal costs (or negative externalities) of transportation systems.³ A more novel approach is congestion tolls, which economists have long advocated as an effective way of allocating scarce roadway capacity to the highest valued users.

Several studies have evaluated demand side instruments for other cities in the developing world.⁴ However, there exist very few studies of cities in the Mediterranean/North Africa (MENA) region. Parry and Timilsina (2012) evaluated demand side instruments to reduce urban transport externalities in the Greater Cairo Metropolitan Region (GCMR). However, demand side instruments alone may not provide the best solutions to reduce negative externalities from urban transportation if supply-side measures that complement the demand side instruments are limited. For example, increased taxation of private vehicles either through fuel, mileage driven or upfront capital costs would not cause sufficient substitution of private vehicles with mass transportation if adequate infrastructure for mass transportation does not exist. It is therefore important to examine the trade-offs between demand and supply-side instruments. The existing literature has not analyzed the demand and supply instruments together, focusing instead on demand side instruments only (see, e.g., Parry and Timilsina, 2012; Parry and Timilsina, 2015; Anas and Timilsina, 2015). This study compares both supply and demand side instruments.

The extent to which the supply side and demand side instruments would be effective in the GBA is an empirical question considering several characteristics specific to the GBA. For

³ See Timilsina and Dulal (2008) for an in-depth discussion of fiscal policy instruments to reduce congestion and environmental pollution from urban transportation.

⁴ See, for example, Anas and Timilsina (2009b), Anas, Timilsina and Zheng (2009), and Parry and Timilsina (2009) for applications to São Paulo, Beijing, and Mexico City, respectively.



example, the GBA offers only a limited number of alternatives to private vehicles. Motorization has rapidly increased despite the fact that import duties on vehicles account for more than 50% of a vehicle's total value, the gasoline tax is one of the highest in the region and parking space is severely limited. The situation is worsened by the high cost of housing which causes people to reside away from the city center whereas most jobs are concentrated there. The city also lacks a reliable public transportation system. The GBA's transportation system is additionally strained due to the influx of Syrian refugees over the last few years. Affluent Syrian families, concentrated in the GBA, have brought their cars into Lebanon and intra-city trips in the GBA have significantly increased. It is estimated that the influx of Syrian refugees has resulted in sudden traffic increases in the GBA in the range of 15-25% (World Bank, 2015).

We develop an empirical model that can simulate both supply and demand side policy instruments to reduce the negative externalities from urban transportation in the GBA. On the supply side, the model considers expansion of urban roads, a bus rapid transit running on special lanes and an increased number of regular buses. On the demand side, policy instruments included are higher fuel and parking pricing. The model represents the behavior of all relevant agents including households, producers (commercial enterprises) and the government. Travel cost includes various monetary costs to households including transit fares, expenditures on automobile fuel, possible congestion tolls levied on auto travel, and the costs of vehicle ownership as well as value of their time (e.g., wage rate). Households have a choice to live nearby their workplaces paying higher rents but avoiding costs of commuting, or they can live away from city centers with lower rental costs and real estate values but pay higher cost for commuting (including the value of time). Through a budget constraint, more spending on travel implies a trade-off as households have less money for other goods. Travel by each mode also involves a time cost, which again involves a trade-off as this reduces the amount of time people have available for other activities at home. Travel time per mile differs across modes, and reflects the inverse of the average travel speed for a transportation vehicle. The model is calibrated with data from Beirut and the economic implications of several urban transportation policies are simulated.

We study several policy packages. Policy package 1 introduces 120 Bus Rapid Transit (BRT) buses which will run on dedicated bus lanes in addition to 250 regular buses. It also includes a 25% increase in the parking tax. Policy package 2 is the same BRT but the parking tax increase is replaced by additional road lanes in suburban Greater Beirut. Policy package 3 includes building an international class ring road in suburban Greater Beirut accompanied by a doubling of the existing excise tax on gasoline. Policy simulation results show an improvement in traffic congestion and decreases in VMT and gasoline consumption across all three policy scenarios. Policy packages 1 and 2 show big gains in social welfare due to a significant increase in traffic speed under BRT. The cost-benefit ratio for each policy can be measured as a gain in social welfare in Lebanese pounds (LBP) per LBP of expenditure. While the cost-benefit ratio is 9.6 and 5.01 for Policy packages 1 and 2 respectively, the cost of implementing Policy package 3 outweighs its benefit.

There are a few existing studies for Beirut analyzing various transportation improvement scenarios such as the re-organization of the bus system and the implementation of bus rapid transit

(e.g. DMJM & Harris and INI Group, 2003; IBI Group and TEAM, 2009). The existing studies are, however, limited to economics specific to the project activities, whereas the current study assesses the impacts to the entire city considering many factors, normally not included in a project economic analysis, such as potential changes in the wage rate and real estate prices using a city level general equilibrium framework.

The paper is organized as follows. Section 2 describes the model equations and the equilibrium structure of the model. Section 3 describes how the model was calibrated from the data, followed by a description of the policy instruments and the scenarios simulated in the study. Section 4 presents and discusses the various policy instruments, and Section 5 presents the effects of the three policy packages. Appendix A presents supplemental tables that include the detailed output of the simulations. Section 6 draws conclusions. Detailed descriptions of data are presented in Appendix B (a summary of the more extensive report by Abou Zeid and Hassan (2016)).

2. Model structure

The metropolitan area is divided into two zones as shown in Figure 1. The central area is zone 1 (Municipal Beirut or MB) and the outer area is zone 2 (Greater Beirut or GB). We will use the subscripts $i, j, z = 1, 2$ to denote these zones where i will be used for the zone as a place of residence, j as a place of work (job location) and the destination of a commute, and z as the destination of a non-work or shopping trip from i . Modes of travel are $m = 1, \dots, 4$, where $m = 1$ is private car, $m = 2$ public bus, $m = 3$ is minibus and $m = 4$ is taxi. Bus rapid transit is introduced as a fifth mode as needed. All four modes share the roads.

The model consists of consumers, firms, real estate developers and the public sector and follows the economic methodology of Anas and Liu (2007). In the labor markets, consumers who are workers and firms that offer jobs are matched up and equilibrium wages are determined in each zone $j = 1, 2$. In production, output produced in each zone satisfies the demand for export and for consumption from local consumers coming to shop in that zone. In the residential ($k = 1$) and commercial ($k = 2$) building markets, consumers and firms are matched up to the stock of housing, and rents are determined for each type of building floor space in each zone $i = 1, 2$. The stock of buildings is adjusted by real estate developers who construct and demolish residential and commercial buildings. Demolishing buildings creates land that is added to the available developable land, and constructing buildings reduces the available developable land. The transport sector is controlled by the government that sets gasoline taxes, parking fees and can increase the capacity of roads and buses. Such actions are compared by calculating the value of social welfare, which will be explained later.

Figure 1: Study Area



2.1 Consumers

Consumers who work choose the triplet (i, j, m) that is a place of residence (housing), a place of work and a mode m for commutes and non-work trips. Thus, there are $2 \times 2 \times 4 = 16$ discrete alternatives. In an inner stage of the choice process, the consumer chooses for each (i, j, m) , continuous variables: the quantity of floor space h at zone i , and the quantity of goods Z_z the consumer would buy at $z = 1, 2$. Thus, in the inner stage the consumer maximizes the following direct utility function:

$$\max_{Z_z, h} U_{ijm} = (1 - \beta_i) \ln \left[\sum_z (Z_{z|ijm})^\eta \right]^{1/\eta} + \beta_i \ln h_{ijm} + \gamma \ln (2G_{ijm}) + E_{ijm} + e_{ijm}, \quad (1)$$

with respect to the budget constraint:

$$\sum_{z'} p_{z|ijm} Z_{z'|ijm} + R_{Hi} h_{ijm} = w_j H d + M_i - g_{ijm} d - \Delta_m g_{jm}^p d. \quad (2)$$

The parameters are as follows. β_i is the share of disposable income spent on housing and $1 - \beta_i$ is the share spent on goods purchased from $z = 1, 2$. $\frac{1}{1 - \eta}$ is the elasticity of substitution between goods from $z = 1$ and $z = 2$; $\gamma < 0$ controls the disutility of the commuting time, G_{ijm} , so that the marginal disutility is $-\gamma \frac{1}{2G_{ijm}}$. E_{ijm} are fixed amenity effects of the choice (i, j, m) , and e_{ijm} are

random utilities that for each (i, j, m) vary among the consumers. On the right side of the budget constraint we have the annual earned income $w_j Hd$ where H is work hours per day and d is the number of work days per year and w_j is the hourly wage rate at workplace j . M_i is unearned income. g_{ijm} is the daily two-way monetary cost of commuting from residence zone i to workplace zone j using mode m . g_{jm}^p is the daily parking cost at j . Only private cars incur parking cost, and this is captured by $\Delta_1 = 1$ and $\Delta_m = 0$ for $m > 1$. Hence, the right side of the budget constraint is the worker's disposable income after commuting-related monetary costs are subtracted from annual earned plus unearned income. On the left side is the expenditure of the worker, consisting of housing floor area rented in zone i at the unit housing rent R_{Hi} , and expenditure on goods purchased in zones $z=1$ and $z=2$ at the travel-cost-inclusive unit prices $p_{z|ijm} = p_z + (g_{izm} + \Delta_m g_{zm}^p) q_{izm}$ where p_z is the unit mill price at the zone of sale z , in the parenthesis is the two-way monetary cost of the trip and the parking and q_{izm} is the number of trips needed to purchase a unit quantity.

Nonworking consumers solve the same problem, except that there is no workplace or commuting cost, hence unearned income is the only part of their disposable income. Dropping the workplace subscript j :

$$\max_{Z_z, h} U_{im} = (1 - \beta_i) \ln \left[\sum_z (Z_{z|im})^\eta \right]^{1/\eta} + \beta_i \ln h_i + E_{im} + e_{im}, \quad (3)$$

subject to the budget constraint:

$$\sum_z p_{z|im} Z_{z|im} + R_i h_{im} = M_i. \quad (4)$$

Solving these inner stage maximization problems yields the following Marshallian demands for goods and for housing floor space. For workers:

$$Z_{z|ijm} = \frac{p_{z|ijm}^{\frac{1}{\eta-1}}}{\sum_{z'} p_{z'|ijm}^{\frac{1}{\eta-1}}} (1 - \beta_i) (w_j Hd + M_i - g_{ijm} d - \Delta_m g_{jm}^p d), \quad (5)$$

$$h_{ijm}(R_{Hi}, w_j) = \beta_i \frac{(w_j Hd + M_i - g_{ijm} d - \Delta_m g_{jm}^p d)}{R_{Hi}}. \quad (6)$$

For non-workers:

$$Z_{z|im} = \frac{p_{z|im}^{\frac{1}{\eta-1}}}{\sum_{z'} p_{z'|im}^{\frac{1}{\eta-1}}} (1 - \beta_i) M_i, \quad (7)$$

$$h_i(R_{Hi}) = \beta_i \frac{M_i}{R_{Hi}}. \quad (8)$$

Substituting the Marshallian demands into direct utility, we get the indirect utility functions for workers and non-workers:

$$\begin{aligned} \tilde{U}_{ijm} = & (1 - \beta_i) \ln(1 - \beta_i) + \beta_i \ln \beta_i + \ln(Hw_j d + M_i - g_{ijm} d - \Delta_m g_{jm}^p d) \\ & - \beta_i \ln R_{Hi} + (1 - \beta_i) \frac{1 - \eta}{\eta} \ln\left(\sum_z p_{z|ijm}^{\eta/(\eta-1)}\right) + \gamma \ln(2^* G_{ijm}) + E_{ijm}, \end{aligned} \quad (9)$$

$$\tilde{U}_{im} = (1 - \beta_i) \ln(1 - \beta_i) + \beta_i \ln \beta_i + \ln M_i - \beta_i \ln R_{Hi} + (1 - \beta_i) \frac{1 - \eta}{\eta} \ln\left(\sum_z p_{z|im}^{\eta/(\eta-1)}\right) + E_{im}^{ue} \quad (10)$$

In the outer stage, the discrete choice utility maximization problem results in multinomial logit models by assuming that the random utilities are distributed accordingly among the consumers. So we have the following choice probabilities for workers and non-workers:

$$P_{ijm}(\mathbf{R}_{Hi}, \mathbf{w}, \mathbf{p}) = \frac{e^{\lambda \tilde{U}_{ijm}}}{\sum_{i'j'm'} e^{\lambda \tilde{U}_{i'j'm'}}}, \quad (11a)$$

$$P_{im}(\mathbf{R}_{Hi}, \mathbf{p}) = \frac{e^{\lambda \tilde{U}_{im}}}{\sum_{i'm'} e^{\lambda \tilde{U}_{i'm'}}}. \quad (11b)$$

2.2 Firms

Firms in a zone j produce output X_j with a constant returns to scale Cobb-Douglas production function combining as inputs, annual hours of labor, L_j , at the unit wage rate w_j ; and commercial building floor space, S_{Bj} , at the unit business rent, R_{Bj} : $X_j = A_j L_j^\delta S_{Bj}^{1-\delta}$, where δ is the cost-share of labor and A_j , a constant reflecting exogenous zonal productivity effects. Firms are assumed to be competitive, hence making zero profits. This implies that the output price equals the marginal and average cost. Hence:

$$p_j = \frac{w_j^\delta R_{Bj}^{1-\delta}}{A_j \delta^\delta (1-\delta)^{1-\delta}}, \quad j = 1, 2. \quad (12)$$

The labor demand, LD , and the demand for commercial floor, SD , space in zones $j = 1, 2$ are:

$$LD_j = \delta \frac{p_j X_j}{w_j}, \quad (13)$$

$$SD_{Bj} = (1 - \delta) \frac{p_j X_j}{R_{Bj}}. \quad (14)$$

2.3 Transportation

As mentioned earlier, in the transportation sector there are trips by the four modes (private car, bus, minibus and taxi), and two trip purposes: commutes from residence to workplace location and non-work trips to buy goods. These trips are loaded to the road network to generate monetary

costs of travel, g_{ijm} , per person-trip under conditions of congestion. In addition, parking costs for private cars, g_{jm}^p , are also part of the transportation sector. The congested travel times, G_{ijm} , consist of three additive components: waiting time, in-vehicle time and access/egress time:

$$G_{ijm} = G_{ijm, \text{ wait}} + G_{ijm, \text{ invehicle}} + G_{ijm, \text{ access/egress}} \quad (15)$$

The monetary cost ex-parking, of a consumer's person-trip by mode m , from residence zone i to workplace zone or non-work trip destination j is given by:

$$g_{ijm} = \Delta_m \phi_{ijm} (1 + \Delta_m \tau_{VAT}) P_{Fg} 2D_{ij} F_{ijm}(s_{ijm}, e_m) + (1 - \Delta_m) f_m. \quad (16)$$

Recalling that $\Delta_1 = 1$ for the private car mode, while $\Delta_m = 0$ for $m = 2, 3, 4$, the two additive terms measure gasoline expenditure and fares. D_{ij} is the one-way trip distance per kilometer and $F_{ijm}(s_{ijm}, e_m)$ is liters per vehicle-kilometer for mode m as a function of vehicle traffic speed s_{ijm} (to be determined below from the congestion technology) and mode fuel efficiency e_m . P_{Fg} is the price of gasoline per liter including any excise tax and τ_{VAT} the ad-valorem tax rate on gasoline at the pump. ϕ_{ijm} is the inverse vehicle occupancy of the mode, and f_m is the two-way fare that applies for $m > 1$. The liters per vehicle kilometer function is:

$$F_{ijm}(s_{ijm}, e_m) = e_m [(3.78541178 \setminus 1.6093) \times (0.122619 - 0.0117211 \times (s_{ijm}) + 0.0006413 \times (s_{ijm})^2 - 0.000018732 \times (s_{ijm})^3 + 0.0000003 \times (s_{ijm})^4 - 0.0000000024718 \times (s_{ijm})^5 + 0.00000000008233 \times (s_{ijm})^6), \quad (17)$$

$$\tilde{s}_{ijm} = s_{ijm} / 1.6093, \quad s_{ijm} = \frac{D_{ij}}{G_{ijm, \text{ invehicle}} / 60}. \quad (18)$$

Parking cost is positive only for the private car mode. It is assumed that commuters park off-street and non-work trips can park either off-street or on-street. The average parking cost per commuter per day (W) is:

$$g_{j1}^p = fee_j^{W, \text{ off}} \times share_j^{W, \text{ off}} \quad (19)$$

And the average parking cost per non-commuter per day (NW) is:

$$g_{z1}^p = fee_z^{NW, \text{ off}} \times share_z^{NW, \text{ off}} + fee_z^{NW, \text{ on}} \times share_z^{NW, \text{ on}} \quad (20)$$

To determine congested travel times, we need to add up trips by (i, j, m) and then calculate the private-car-equivalent traffic loads across the different modes. So the sum of work and non-work trips by the mode m per day are:

⁵ The percentage of private car commuters that pays for parking is 46% (in $j = 1$) and 20% (in $j = 2$). In the case of non-work trips, 25% pays for off-street parking in $j = 1$ but no one pays for off-street parking in $j = 2$; whereas the shares of on-street parking for non-work trips in $j = 1$ and $j = 2$ are 25% and 20% respectively.

$$T_{ijm} = T_{ijm}^W + \frac{1}{365} T_{ijm}^{NW}, \quad (21a)$$

where the number of consumer-workers is N^W , and the work trips are obtained by:

$$T_{ijm}^W = N^W P_{ijm}, \quad (21b)$$

and the number of non-workers is N^{NW} and the number of non-work trips is obtained by multiplying the number of workers and non-workers with their respective choice probabilities:

$$T_{ijm}^{NW} = \sum_{j=1,2} N^W P_{ijm} Z_{z|ijm} q_{izm} + N^{NW} P_{im} Z_{z|im} q_{izm} \quad (21c)$$

To combine the trips by mode in order to derive a combined traffic load, we need ℓ_m to convert vehicles of mode m into car-equivalent units. Then, a car-equivalent traffic load is:

$$LOAD_{ij} = \sum_m \phi_{ijm} (T_{ijm}^W + \frac{1}{365} T_{ijm}^{NW}) \ell_m. \quad (22)$$

We also calculate vehicle miles traveled (VMT) and total gasoline consumption (TGC):

$$VMT_{ijm} = 2D_{ij} \phi_{ijm} \left(T_{ijm}^W + \frac{1}{365} T_{ijm}^{NW} \right) \quad (23)$$

$$TGC_{ijm} = 2D_{ij} \phi_{ijm} \left(T_{ijm}^W + \frac{1}{365} T_{ijm}^{NW} \right) F_{ijm} (\bar{s}_{ijm}, e_m). \quad (24)$$

For congestion, we use the BPR-type flow congestion function with parameters c_0, c_1, c_2 to get the in-vehicle travel times. The resulting travel times for the four (i, j) zone pairs, adjusted for mode slowness by the parameters Ψ_m are:

$$G_{11m, \text{invehicle}} = c_0 \left[1 + c_1 \left(\frac{LOAD_{11} + 0.5 \times LOAD_{21} + 0.5 \times LOAD_{12}}{\xi_1 CAP_1} \right)^{c_2} \right] D_{11} \Psi_m \quad (25a)$$

$$G_{12m, \text{invehicle}} = c_0 \left[1 + c_1 \left(\frac{LOAD_{12}}{\theta_1 (\xi_2 CAP_1) + \theta_2 (\xi_3 CAP_2)} \right)^{c_2} \right] D_{12} \Psi_m \quad (25b)$$

$$G_{21m, \text{invehicle}} = c_0 \left[1 + c_1 \left(\frac{LOAD_{21}}{\theta_1 (\xi_4 CAP_1) + \theta_2 (\xi_5 CAP_2)} \right)^{c_2} \right] D_{21} \Psi_m \quad (25c)$$

$$G_{22m, \text{inv}} = c_0 \left[1 + c_1 \left(\frac{LOAD_{22} + 0.5 \times LOAD_{21} + 0.5 \times LOAD_{12}}{\xi_6 CAP_2} \right)^{c_2} \right] D_{22} \Psi_m \quad (25d)$$

CAP_1, CAP_2 are road capacities associated with the two zones. These are blended by using the coefficients θ_1, θ_2 to obtain the capacities of the road relevant to the inter-zonal trips. ξ_1, ξ_2 are coefficients we calibrate.

Finally, a refinement of the model is to take into account what happens when more buses or round-trips of existing buses are added to the public transportation system. Adding buses will increase congestion if the buses run empty or not very full. The inverse vehicle occupancy ratio for buses should increase, keeping total bus riders constant, but it can decrease as more people switch to bus, as the added buses reduce waiting times. To capture these two relationships, we use the functions:

$$\phi_{ij2} = \frac{\text{round-trips}_{ij2} \times \text{Bus}_{ij}}{\zeta_{ij0} (T_{ij2})^{\zeta_{ij}}}, \quad (26)$$

and

$$G_{ij2,wait} = a_{ij2} * \text{Bus}_{ij}^{-\beta_b}, \quad (27)$$

where Bus_{ij} is the number of buses (fleet size) used in the system.

2.4 Labor market

The labor market equilibrium in each zone is calculated by solving for the wages so that the supply of labor equals the demand for labor:

$$\sum_{im} N^e P_{i1m}^e (\mathbf{R}_{Hi}, \mathbf{w}, \mathbf{p}) Hd = \delta \frac{P_1 X_1}{w_1}, \quad (28a)$$

$$\sum_{im} N^e P_{i2m}^e (\mathbf{R}_{Hi}, \mathbf{w}, \mathbf{p}) Hd = \delta \frac{P_2 X_2}{w_2} \quad (28b)$$

2.5 Output market

The output produced in each zone satisfies the demand from the local population and the demand for export:

$$X_1 = \sum_{ijm} N^e P_{ijm}^e (\mathbf{R}_{Hi}, \mathbf{w}, \mathbf{p}) Z_{1ijm}^e (\mathbf{p}, w_j) + \sum_{im} N^{ue} P_{im}^{ue} (\mathbf{R}_{Hi}, \mathbf{p}) Z_{1im}^{ue} (\mathbf{p}) + \Xi_1 \quad (29a)$$

$$X_2 = \sum_{ijm} N^e P_{ijm}^e (\mathbf{R}_{Hi}, \mathbf{w}, \mathbf{p}) Z_{2ijm}^e (\mathbf{p}, w_j) + \sum_{im} N^{ue} P_{im}^{ue} (\mathbf{R}_{Hi}, \mathbf{p}) Z_{2im}^{ue} (\mathbf{p}) + \Xi_2 \quad (29b)$$

2.6 Real estate market

In the residential real estate rental market, the floor space demanded by consumers (workers and non-workers) equals the available residential floor space stock, while in the commercial real estate market the demand for floor space by firms equals the stock of commercial floor space:

$$\sum_{jm} N^e P_{ijm}^e (\mathbf{R}_{Hi}, \mathbf{w}, \mathbf{p}) h_{ijm}^e (\mathbf{R}_{Hi}, w_j) + \sum_m N^{ue} P_{im}^{ue} (\mathbf{R}_{Hi}, \mathbf{p}) h_{im}^{ue} (\mathbf{R}_{Hi}) = S_{Hi}, \quad i = 1, 2. \quad (30)$$

$$(1 - \delta) \frac{P_i X_i}{R_{Bi}} = S_{Bi}, \quad i = 1, 2. \quad (31)$$

The values of floor space (V_{Hi}, V_{Bi}) and of developable land (V_{0i}) are determined by the following three equations. These are derived by assuming the following competitive bidding process in stationary state by risk neutral and forward-looking investors, a framework adapted from Anas and Arnott (1991). Suppose that an investor buys land at the beginning of a time period. The bid per unit of such land reflects the rent on vacant land that is collected during the period and the expected value of the capital gains that can be realized by exercising the option to construct either residential or commercial floor space, or by keeping the land undeveloped. It is assumed that the investor would choose the most profitable of the three possible actions, but – in the beginning of the period – does not yet fully know the costs associated with each option.

$$V_{0i} = R_{0i} + \frac{1}{\Phi_{0i}} \ln \left\{ e^{\Phi_{0i} \left(\frac{V_{0i} - K_{0i}}{1+r} \right)} + e^{\Phi_{0i} \left(\frac{(V_{Hi} - C_{Hi})m_{Hi} - K_{Hi}}{1+r} \right)} + e^{\Phi_{0i} \left(\frac{(V_{Bi} - C_{Bi})m_{Bi} - K_{Bi}}{1+r} \right)} \right\} \quad (32a)$$

In the above and the following equations, m_{ki} is the structural density (floor space to land area ratio) of type k building in zone i . C_{ki} is the cost of constructing a type k building in zone i , and K_{ki} the non-financial cost. Φ_{0i} is the dispersion parameter of the unobserved nonfinancial costs for land investors. r is the interest rate.

An investor owning an existing residential or commercial building acts similarly with the land investor (and with similar parameters) but has two options: to either demolish the building or keep it as is. Hence, in the beginning of the period the building investor would bid the rent from the period plus the expected capital gains from the options to demolish or not:

$$V_{Hi} = R_{Hi} + \frac{1}{\Phi_{Hi}} \ln \left\{ e^{\Phi_{Hi} \left(\frac{V_{Hi} - k_{HHi}}{1+r} \right)} + e^{\Phi_{Hi} \left(\frac{1}{1+r} \left(\frac{V_{0i} - D_{Hi}}{m_{Hi}} \right) - k_{H0i} \right)} \right\} \quad (32b)$$

$$V_{Bi} = R_{Bi} + \frac{1}{\Phi_{Bi}} \ln \left\{ e^{\Phi_{Bi} \left(\frac{V_{Bi} - k_{BBi}}{1+r} \right)} + e^{\Phi_{Bi} \left(\frac{1}{1+r} \left(\frac{V_{0i} - D_{Bi}}{m_{Bi}} \right) - k_{B0i} \right)} \right\} \quad (32c)$$

The construction probabilities are:

$$Q_{0Hi} = \frac{e^{\Phi_{0i} \left(\frac{(V_{Hi} - C_{Hi})m_{Hi} - K_{Hi}}{1+r} \right)}}{e^{\Phi_{0i} \left(\frac{V_{0i} - K_{0i}}{1+r} \right)} + e^{\Phi_{0i} \left(\frac{(V_{Hi} - C_{Hi})m_{Hi} - K_{Hi}}{1+r} \right)} + e^{\Phi_{0i} \left(\frac{(V_{Bi} - C_{Bi})m_{Bi} - K_{Bi}}{1+r} \right)}} \quad (33a)$$

$$Q_{0Bi} = \frac{e^{\Phi_{0i} \left(\frac{(V_{Bi} - C_{Bi})m_{Bi} - K_{Bi}}{1+r} \right)}}{e^{\Phi_{0i} \left(\frac{V_{0i} - K_{0i}}{1+r} \right)} + e^{\Phi_{0i} \left(\frac{(V_{Hi} - C_{Hi})m_{Hi} - K_{Hi}}{1+r} \right)} + e^{\Phi_{0i} \left(\frac{(V_{Bi} - C_{Bi})m_{Bi} - K_{Bi}}{1+r} \right)}} \quad (33b)$$

$$Q_{00i} = 1 - Q_{0Bi} - Q_{0Hi} \quad (33c)$$

And the demolition probabilities are:

$$Q_{H0i} = \frac{e^{\Phi_{Hi} \left(\frac{1}{1+r} \left(\frac{V_{0i}}{m_{Hi}} - D_{Hi} \right) - k_{H0i} \right)}}{e^{\Phi_{Hi} \left(\frac{1}{1+r} \left(\frac{V_{0i}}{m_{Hi}} - D_{Hi} \right) - k_{H0i} \right)}} + e^{\Phi_{Hi} \left(\frac{V_{Hi}}{1+r} - k_{HHi} \right)}} \quad (33d)$$

$$Q_{HHi} = 1 - Q_{H0i} \quad (33e)$$

$$Q_{B0i} = \frac{e^{\Phi_{Bi} \left(\frac{1}{1+r} \left(\frac{V_{0i}}{m_{Bi}} - D_{Bi} \right) - k_{B0i} \right)}}{e^{\Phi_{Bi} \left(\frac{1}{1+r} \left(\frac{V_{0i}}{m_{Bi}} - D_{Bi} \right) - k_{B0i} \right)}} + e^{\Phi_{Bi} \left(\frac{V_{Bi}}{1+r} - k_{BBi} \right)}} \quad (33f)$$

$$Q_{BBi} = 1 - Q_{B0i} \quad (33g)$$

We assume that at equilibrium, the flow of demolished floor space equals 40% of the flow of constructed floor space, an arbitrary assumption the plausibility of which was confirmed by simulations, and that the total amount of land in each zone remains unchanged:

$$0.4S_{0i}Q_{0Hi} - \frac{1}{m_{Hi}} S_{Hi}Q_{H0i} = 0 \quad (34a)$$

$$0.40S_{0i}Q_{0Bi} - \frac{1}{m_{Bi}} S_{Bi}Q_{B0i} = 0 \quad (34b)$$

$$S_{0i} + \frac{1}{m_{Hi}} S_{Hi} + \frac{1}{m_{Bi}} S_{Bi} = LAND_i \quad (34c)$$

Given rents, the equilibrium values are calculated from (32a)-(32c), and given the values, the equilibrium stocks of available land and aggregate floor spaces (S_{0i}, S_{Hi}, S_{Bi}) are found by solving (34a)-(34c).

2.7 The public sector

A policy will cause the economy to move from the base equilibrium pre-policy to the new equilibrium post-policy. The change in welfare is the compensating variation of the consumer plus the annualized change in real estate values, plus the changes in the revenue of operating the public transportation system, plus the changes in the revenues from parking and gasoline taxes less the costs of bus and road additions:

$$\Delta W = CV + \frac{r}{(Ne + Nue)} \left(\sum_{i,k=o,H,B} S_{ik}^{POLICY} V_{ik}^{POLICY} - S_{ik}^{BASE} V_{ik}^{BASE} \right) + \frac{1}{(Ne + Nue)} (\Delta P T \text{ Revenue} + \Delta \text{GasolineTax Revenue} + \Delta \text{ParkingTax Revenue} - \text{Total Cost of New Bus} - \text{New Road Construction Cost}) \quad (35)$$

The welfare levels of a worker and a non-worker in units of utility are:

$$W_e^{BASE} = \frac{1}{\lambda} \ln(\sum_{ijm} \exp(\lambda U_{ijm}^{e,BASE})) \quad (36a)$$

$$W_{ue}^{BASE} = \frac{1}{\lambda} \ln(\sum_{im} \exp(\lambda U_{im}^{ue,BASE})) \quad (36b)$$

The compensating variation is the maximum dollar amount a worker or non-worker would pay to enjoy the benefits of the policy. The following steps show how the CV is calculated:

$$U_{ijm}^{e,POLICY} = u_{ijm}^{e,POLICY} + \ln(y_{ijm}^{e,POLICY}) \quad (37a)$$

$$U_{im}^{ue,POLICY} = u_{im}^{ue,POLICY} + \ln(y_i^{ue,POLICY}) \quad (37b)$$

CV for worker and non-worker can be solved as:

$$W_e^{BASE} = \frac{1}{\lambda} \ln(\sum_{ijm} \exp \lambda [u_{ijm}^{e,POLICY} + \ln(y_{ijm}^{e,POLICY} - CV^e)]) \quad (38a)$$

$$W_{ue}^{BASE} = \frac{1}{\lambda} \ln(\sum_{im} \exp \lambda [u_{im}^{ue,POLICY} + \ln(y_i^{ue,POLICY} - CV^{ue})]) \quad (38b)$$

$$CV = \frac{N^e}{(N^e + N^{ue})} CV^e + \frac{N^{ue}}{(N^e + N^{ue})} CV^{ue} . \quad (39)$$

The other components of welfare are calculated as follows:

$$PT \text{ Revenue} = \sum_{ijm=2,3} T_{ijm} * f_m \quad (40a)$$

$$ParkingTax \text{ Revenue} = \sum_j g_{j1}^p [\sum_i \phi_{ij1} T_{ij1}^W] + \sum_z g_{z1}^p [\sum_i \phi_{iz1} T_{iz1}^{NW}] \quad (40b)$$

$$GasolineTax \text{ Revenue} = \sum_{ijm \neq 2} \tau_{VAT} P_{Fg} TGC_{ijm} \quad (40c)$$

3. Calibration

The elasticity of location choice with respect to housing rent used in the model is -0.35. Anas and Chu (1984) reported a range for housing cost elasticity between -0.26 to -0.86 from previous studies and estimated it to be -0.36 for the Chicago MSA. Indra (2014) in a study of 275 metropolitan areas, found the residential choice elasticity with respect to housing cost in US to be -0.28. We believe any value around -0.36 is very reasonable. Based on this rent elasticity, we calibrated the dispersion parameter, λ , in the consumer's choice probability.

The elasticity of location choice with respect to commute time weighted across all modes is -1.0735. The data for this mode choice elasticity is taken from the study for Beirut by Danaf et al. (2014). Since no mode choice elasticity was present for minibus, we considered the mode choice elasticity for bus and minibus to be the same. Based on their weighted value of elasticity with respect to commute time, we calibrated the travel time disutility parameter, γ , in the consumer's choice probability.

There is no value in the literature related to housing construction from vacant land for Beirut. We assumed that the probability of housing construction from vacant land is 0.0035 in both MB and GB. These probabilities are derived from the supply of newly constructed housing floor space aggregated across MB and GB.⁶ Assuming that the probability of construction is the same for MB and GB, the probability of vacant land constructed into housing is derived. As there are no data on the construction probability of commercial floor space from vacant land, we assumed that the share is based on the existing commercial floor space relative to residential floor space, adjusting the residential construction probability with this ratio.

Based on the above, the elasticity of housing/commercial construction with respect to the value of housing/commercial floor space was set at 0.5 (MB) and 2.1 (GB). The elasticity of housing/commercial demolition with respect to the value of vacant land was set at 0.05 (MB) and 0.21 (GB), that is at one-tenth the corresponding construction elasticity. Based on these

⁶ The source of these data is from the Order of Engineers.

construction and demolition elasticity values, the constants in the probabilities of construction and demolition are calibrated. We also confirmed that the assumed ratio of demolished to constructed floor space of 40% seems to yield plausible comparative statics results.

The waiting time function for buses was derived from the relationship between average waiting time and number of buses as provided in Meignan et al. (2007). In the base case, the parameter constant, a_{ij2} , is calibrated to match the base data on waiting time for bus by origin and destination, (i, j) . Think of a scenario where there is an increase in bus supply. On the one hand, this will potentially encourage people to switch to bus from all other modes as the waiting time for bus improves. This will reduce aggregate traffic for all other modes and hence it will reduce congestion. On the other hand, additional buses running on roads will take more space and frequent stops will disrupt the traffic flow, which will increase congestion on the roads. The net effect depends on how many buses are running on roads, relative to the switch in ridership to bus from the other modes. Equation (26) implies that an additional bus can potentially create congestion on the road for the other modes. Equation in (25) is the most commonly used congestion function. The value of the exponent, c_2 , can typically range from 1.2 to 4. We are using the value of 3.5 suggested in Arnott (2013). Detailed discussions on the data and key assumptions are presented in Appendix A. The calibration results are summarized in Tables 1-4.

TABLE 1: Base data except transportation

	Municipal Beirut	Greater Beirut
<i>Residents</i>	445,184	997,422
<i>%Workers</i>	41.18	44.01
<i>Jobs</i>	198,839	423,489
Production		
A_i	19,877.33	11,925.34
w_i	4363.2	3452.035
δ	0.30	0.30
Ξ_i / X_i	0.55	0.73
Consumers		
β_i	0.29	0.27
M_i (LBP)	3,636,000	2,876,696
$\frac{1}{1-\eta}$	2	2
γ	0.7539	0.7539
Real estate		
R_{oi} (LBP/Sq. Meter)	503,640	73,350
R_{Bi} (LBP)	426,750	227,400
R_{Hi} (LBP)	175,800	83,550

V_{Hi} (LBP)	5,860,000	2,785,000
V_{Bi} (LBP)	8,535,000	4,548,000
V_{0i} (LBP)	16,788,000	2,445,000
S_{Bi} (Sq. Meters)	11,859,051	37,501,072
S_{Hi} (Sq. Meters)	5,259,996	21,342,698
S_{0i} (Sq. Meters)	4,650,000	52,610,000

TABLE 2: Base data on transportation

Origin, Destination	1,1	1,2	2,1	2,2
Mode splits (person trips)				
Car	48388	99398	111876	241934
Bus	1051	2158	2429	5253
Minibus	6544	13442	15130	32718
Taxi	4052	8324	9369	20261
Distances (one-way) in kilometers				
Any mode	6.6	11.9	12.3	9.4
Travel times (one-way) in minutes				
Car	42.1	53	57	46.4
Bus	77.6	98.3	104.2	88.8
Minibus	63.1	81.7	86.8	73.5
Taxi	58.33	72.33	76.73	65.13
θ_1, θ_2	0.18		0.82	
CAP_1, CAP_2 (square meters)	3,675,177		17,295,559	
	Car	Bus	Mini-bus	Taxi
ϕ_m	0.5882	0.0893	0.1686	0.8475
ℓ_m	1	2	1.6	1.4
Ψ_{ijm}	1	1.45	1.25	1.10
Wait time (in minutes)	0	6.5	0.5	6
Access/egress (in minutes)				
Car	0	0	0	0
Bus	10	15	15	15
Minibus	10	15	15	15
Taxi	6.03	8.03	8.03	8.03
Fare (one-way) in LBP				

Car	0	0	0	0
Bus	1000	1000	1000	1000
Minibus	1000	1000	1000	1000
Taxi	2000	4000	4000	4000
ζ_0, ζ_1 (in Bus)	(1,1)	(1,2)	(2,1)	(2,2)
	17.0865, 0.8	11.0164, 0.8	7.3064, 0.8	7.7022, 0.8
α, β (in Bus)	42.6668, -0.335	41.0472, -0.335	41.0472, -0.335	41.0472, -0.335

TABLE 3: Target values used in calibration

Name	Value
Elasticity of location choice w.r.t housing rent	-0.35
Elasticity of location choice w.r.t commute time across all mode	-1.0735
Elasticity of housing/business construction w.r.t value of housing/business stock by MB and GB respectively	0.5,2.1
Elasticity of housing/ business demolition w.r.t value of land by MB and GB respectively	0.05,0.21
Demolition to construction ratio	0.40
New annual housing construction in housing units	12678
Labor share in production function	0.3
Free-flow speed (km/hour)	100
Congestion parameter constants (c_1, c_2)	0.2, 3.5
Adjustment parameter in phijm of bus (ζ_{ij})	0.8
Delivered price to mill price	0.1

TABLE 4: Calibrated values

Variable Name	Symbol	Value
Dispersion parameter in utility function	λ	1.8353
Disutility parameter for commute	γ	0.7317
Probability of housing construction from vacant land	Q_{0Hi}	0.0035; 0.0035
Probability of housing demolition into vacant land	Q_{H0i}	0.0011;0.0041
Probability of commercial building construction from vacant land	Q_{0Bi}	0.0066;0.0066
Probability of commercial building demolition from vacant land	Q_{B0i}	0.0038;0.0141



4. Defining Policy Instruments and Simulation Scenarios

The study considers both demand side and supply side scenarios. Demand side instruments aim to reduce the excessive part of the demand for transportation services that relies on private vehicles. Supply side instruments aim to adjust the infrastructure capacity to provide transportation services (buses or roads and parking spaces). While there could be a large number of policy instruments and scenarios, considering all of them is beyond the scope of the study. We considered the most plausible instruments based on discussions with various stakeholders in Beirut.

4.1. Demand Side Policy Instruments

Demand side instruments increase the prices of transportation services provided by automobiles. Such instruments are the fuel tax, the parking fee, congestion charges, the tax on vehicles, etc. Since motorization has increased despite a very high vehicle tax (import duty), increasing that tax further may not be very effective. Congestion charges, which have been used in some cities in developed countries (Singapore, London, Stockholm, Milan), may be difficult to implement in Beirut. So we considered two pricing instruments: the fuel tax and the parking fee. An increase in transportation cost through an increase in the fuel tax or parking fee would work in two ways. First, it would reduce transportation service demand from private vehicles by cutting their unnecessary or wasteful use and second, it would encourage the substitution of private transportation with public transportation.

Increased fuel taxation: As in many cities around the world, gasoline and diesel are the main fuels used for transportation in Beirut. Since the excise tax on gasoline in Lebanon was halved from 33 US¢/liter (LBP 9,900/20 liters) to 16.5 US¢/liter (LBP 4,950/20 liters) in March 2011, one scenario could be to reinstate the previous tax level, doubling the current excise tax rate from that level. Since diesel is used mainly for public transportation and one strategy to reduce congestion is to encourage switching from the private transportation mode to the public transportation mode, we did not apply any tax on diesel.

Increased parking fees: The objective of this policy instrument is to make parking in GB more expensive so that it discourages the use of private vehicles. An increase in parking fee whether it is off-street parking or on-street parking is expected to contribute to this objective. At present, paid street parking allows a maximum of two hours of parking on the street. Most commuters use off-street parking lots or garages. Recent statistics show that 46% of commuters pay for parking in Municipal Beirut and 20% of commuters pay for parking in Greater Beirut. In 2013, the average daily off-street parking rate is estimated to be 3,187 LBP/day in Municipal Beirut and 2,500 LBP/day in GB. Considering all commuters (those who pay and those who do not pay for off-street parking), the average off-street parking cost across commuters is 1,466.1 LBP/day in MB and 500 LBP/day in GB.

On-street parking is usually used by non-commuters. Paid (or metered) street parking is installed only in Municipal Beirut (but not everywhere) and not in Greater Beirut. The current on-street parking rate is 1,000 LBP/hour. We assumed that 50% of all non-commuting trips park for free, 25% use paid street parking, and 25% use paid off-street parking. For street parking, the average duration of parking is assumed to be around 45 minutes (TEAM International, 2009), resulting in an average street parking cost of 750 LBP. Since the off-street parking rate for

commuters is 3,187 LBP/day, the average parking cost paid by non-commuters in Municipal Beirut is estimated to be LBP 984.25.⁷ For GBA, the average parking cost paid by non-commuters is LBP 500.⁸

4.2. Supply Side Measures

The objective of the supply side measures is to expand infrastructure capacity including construction of new roads, particularly in the periphery of Municipal Beirut where land is available for the expansion of road networks, construction of underground metro or over-ground light railway transit (LRT), bus rapid transit systems, etc. Considering the huge costs of building transportation infrastructure and the considerable time needed to complete the mega projects, we treat two relatively cheaper options: construction of a new ring road in the periphery of Municipal Beirut (i.e., in GB) and addition of lanes to existing roads.

Road expansion in GB: We considered a *peripherique* (ring road) along the periphery of Municipal Beirut in GB. This 20-km road is estimated to cost US\$2 billion including the cost of expropriation. It will have two levels with a total (over both levels) of 5 lanes per direction. Assuming a 3.6-m lane width, the total width is 36 m. The increase in road capacity in Greater Beirut (GB) due to the Peripherique is then $20,000 \text{ m} \times 36 \text{ m} = 720,000 \text{ m}^2$.

Lane Addition: We considered adding one lane in each direction to the coastal highway along a 10-km section in GB (in the part that falls north of MB). The expected cost is in the range of US\$150 million to US\$200 million. Assuming a 3.6-m lane width, the increase in road capacity in Greater Beirut (GB) due to the lane addition project is $2 \times 3.6 \times 10,000 = 72,000 \text{ m}^2$.

Network extension of buses: Since the government has a plan to purchase 250 new buses to be deployed in Greater and Municipal Beirut, we considered a scenario of adding these buses which will be owned by the city. Increasing the number of buses, would reduce bus waiting times due to increased frequency of service, but the additional buses would also add to road congestion, if they did not draw enough riders from the other modes.

Introducing Bus Rapid Transit (BRT): BRT will primarily cover 22 km between Beirut-Tabarja and 20 km within Beirut. As the BRT will run on dedicated lanes, there will be a reduction in road capacity because one lane will be taken from the road in each direction. This will happen over a distance of 15 km. So we need to remove from GB a road capacity⁹ of $108,000 \text{ m}^2$. Road capacity will not decrease in MB as dedicated lanes will be taken from the parking lanes in MB. The targeted speed that BRT will try to achieve is 30-35 km/hr in GB and 20-25 km/hr in MB. The expected speed in MB is lower because of traffic lights. The one-way fare of BRT bus is assumed as 60% higher than regular bus fare.

5. Results of the Policy Simulations

⁷ $\text{Off-street parking rate} * \text{percent of non-commuters that pay off-street parking} + \text{on-street parking rate} * \text{percent of non-commuters that pay on-street parking} + 0 * \text{percent of non-commuters that do not pay parking} = 3187 * 0.25 + 750 * 0.25 = 984.25$.

⁸ $\text{Off-street parking rate} * \text{percent of non-commuters that pay off-street parking} + 0 * \text{percent of non-commuters that do not pay parking} = 2500 * 0.2 = 500$.

⁹ For BRT scenario in GB, $2 \text{ lanes} * 15 \text{ km (length)} * 3.6 \text{ of width/lane} = 108,000 \text{ m}^2$.

We first present results from simulations in which we change the values of individual policy instruments or public investment activities. This is followed by results of three policy packages where these policy instruments and public investment activities described above, are combined at different levels. The policy simulation results discussed and presented in this section are driven by several important margins of adjustment in the model, such as:

- 1) Consumers' choice of place of residence and place of workplace.
- 2) Switching of consumers from one mode to another for work and non-work trips.
- 3) Consumers substituting between composite good consumption and housing floor space consumption and between consumption acquired by making non-work trips to MB or GB.
- 4) Firms substituting between labor and building inputs in production.
- 5) Conversion of vacant land to residential /commercial floor space construction or demolition of residential /commercial floor space to vacant land.

5.1. Results from simulation of individual policy instruments or investment activities

There are four simulations to measure the impacts of individual policy instruments or investment actions. These are: (i) Expanding road capacity; (ii) Adding bus capacity; (iii) Increasing the taxes on gasoline (increase in the excise tax); (iv) Parking cost increase (increasing the parking tax rate). Below we discuss the most important results from each of these simulations. Detailed results under each simulation are provided in the long tables of Appendix A.

5.1.1 Expanding road capacity

The road capacity increase for GB is 720,000 square meters, i.e., an increase of 4.1% in total road area in GB. Detailed results of this simulation are shown in Table A1.

After increasing the road supply in GB, population and employment decentralizes to GB. As a result of that, wages in MB rise and fall in GB since the supply of labor to GB increases at the expense of the labor supply to MB. The fall in housing demand in MB leads to a fall in the residential rent in MB. Opposite results can be seen in GB where rent rises due to increase in housing demand. Price of output increases in MB and decreases in GB. Increase in nominal and real output increase the demand for commercial floor space resulting in an increase in the rent of commercial floor space.

With the increase in road supply, congestion decreases somewhat and because this favors private vehicles, people switch to private vehicle from the other modes. The aggregate mode share increases for private vehicles even when the private vehicle trips of MB-to-MB decrease as both population and employment shift to GB. Travel time decreases across all modes. The aggregate traffic load decreases for MB-MB and MB-GB but increased for GB-MB and GB-GB. Aggregate non-work trips along with VMT increase but gasoline consumption decreases due to the improved speed. The improved speed and the switch to private vehicles result in a decrease in revenues from the gas tax and public transit fares, but parking tax revenue increases.

The increase in the rent for commercial floor space stimulates construction and stock increases in both MB and GB. For residential floor space, stock decreases in MB but increases in GB. The fall in residential stock in MB frees up land which is in part utilized for the construction of new commercial floor space. As demand increases for both residential and commercial floor space in GB, vacant land decreases.



Workers in MB benefit from falling residential rents and the rising wages along with decrease in travel cost and travel time, but are adversely affected by the rising output price. Non-workers in MB benefit from falling residential rents and decrease in travel cost but are affected adversely by the higher goods prices, whereas workers and non-workers in GB benefit from lower output prices and lower travel costs but are adversely affected by the increase in residential rents and the decrease in wages. An average worker seems to be better off by this policy while an average non-worker is worse-off by this policy. The overall social welfare improves.

Note that with a congestion function exponent of $c_2 = 3.5$, the change in social welfare is bigger than with $c_2 = 2$. The reason is that the effect of an increase in road capacity begets more congestion relief when the exponent is higher.

The main results of this policy on key transportation and economic indicators are summarized in Figures 2a and 2b, respectively. As illustrated in these figures, the expansion of roads in the GB would substitute bus (mini and large bus) trips with auto (car and taxi) trips. It would reduce travel times for all vehicles and also the total travel costs. While revenues from fuel taxation and parking fees decrease, total rents, total values of properties including existing buildings, new buildings and vacant lands and gross regional products of the city will increase. Although percentage change in rental and property values look small, in absolute terms they are large. For example, the expansion of roads will increase rental values in Beirut (both MB & GB) by 38 billion LBP to 62 billion LBP depending upon the value for congestion coefficients. Similarly, the expansion of roads will increase values of properties (residential, commercial and vacant lands in Beirut) by 575 billion LBP to 801 billion LBP. The gross regional product of Beirut would increase by 42 billion LBP to 67 billion LBP.

Figure 2a. Impacts of road expansion policy on transportation activity (% change from the base case)





Figure 2b. Impacts of road expansion policy on economic activity (% change from the base case)



5.1.2 Adding bus capacity



Bus capacity is increased by 91% across the study area. There are two cases possible based on whether the bus is completely owned (case 1) or partially owned/rented (case 2). We found that the results are mostly similar between these two cases. They only differ with respect to the operational and maintenance costs of new buses which affect the change in the value of social welfare per person. The results are shown in Tables A2 and A3.

The increase in bus supply moves more population to MB and more jobs to GB. Wages in MB increase but decrease in GB. Residential rent decreases in both MB and GB. With an unchanged price of goods and a decrease in real output, the demand for commercial floor space decreases and this causes a fall in commercial rents in both MB and GB.

The increase in bus supply not only improves ridership of bus but also of all the other modes except private vehicle. However, the biggest gain in ridership is for bus. Increase in bus supply has two opposing effects: on the one hand, a decrease in bus wait times which improves the travel time by bus and encourages people to switch from private vehicles, reducing congestion; on the other hand, if the increase in bus supply does not adequately improve bus ridership then the additional buses will cause traffic congestion to increase. The increase in bus ridership not only shifts people from private vehicle to bus but to the remaining modes also. As a result of this spillover, though travel time by bus decreases due to lower waiting times, travel time for all the other modes increases due to higher congestion caused by the additional buses. The traffic load increases for all origin to destination pairs. There is an increase in both aggregate VMT and gasoline consumption. Gas tax and public transit revenues increase but parking tax revenue decreases. As the majority of the population uses private vehicles for work and non-work trips, the resulting increase in trip costs reduces the disposable income. In the short run, reduction in disposable income reduces housing demand (by the income effect) and hence residential rents. This reduction in rents causes substitution (the substitution effect) favoring more housing consumption. Also non-work trips decrease which means that the cost of non-work trips has increased. This leads to further substitution in favor of housing consumption.

There is an increase in the stock of residential floor space in both MB and GB. The increase in the demand for housing results in an increase in the construction of new housing floor space in MB and GB. But the fall in the nominal value of output affects the construction and the stock of commercial floor space. The fall in the stock of commercial floor space frees up some land which is used for the construction of new housing floor space. The stock of vacant land increases which results in lower rents and values of vacant land.

For an average worker, the benefit of falling residential rents and an increase in the wage in MB is less than the adverse effect of a fall in the wage in GB and an increase in travel time. As a result, an average worker is worse-off. For an average non-worker, the increase in travel time increases the cost of trips thus reducing their non-work trips. This adverse impact is more than the benefit of a decrease in residential rent. As a result, an average non-worker is also worse-off. The social welfare decreases and decreases more with a more congestible road network, that is when $c_2 = 3.5$.

The key impacts on transport activities and city economy are presented in Figure 3a and 3b. As can be seen in Figure 3a, increased addition of buses without expanding road capacity and

only adding buses will deteriorate the congestion situation by increasing travel times of all vehicles, and does not help reduce congestion in Beirut. Due to increased travel time, gasoline consumption by car increases. The higher gasoline tax revenue and the increased public transport revenue would increase total government revenues but it would certainly hurt the consumers. Consequently, total rental value, total property value and gross regional products of the city will all drop.

Figure 3a. Impacts of the bus addition on transportation activity
(% change from the base case)





Figure 3b. Impacts of bus addition on economic activity
(% change from the base case)



5.1.3 Gasoline tax

This policy instrument considers doubling of excise tax on gasoline for the reason explained in scenario definition section above. The detailed results are shown in Table A4. The increase in the excise tax, shifts population to MB and jobs to GB. There is a decrease in wage and a decrease in the price of output and a lower nominal value of output in the region. This decreases the demand for commercial floor space and lowers commercial rents. Because floor space and labor are substitutes in production, wages are also lowered which reduces residential rent through the income effect.

The increase in the excise tax increases the operating cost for modes using gasoline (private vehicle, minibus and taxi service). For minibus and taxi service, we assumed that the increase in cost is not transferred to the rider. Under this situation, people switch from private vehicle to all other modes. Travel time for all modes decreases but the travel cost for private vehicles increases. As a result, non-work trips decrease along with VMT and gasoline consumption. Gas tax revenue and public transit revenue increase while parking tax revenue decreases.

As the majority of people use private vehicle for trips, the increase in the excise tax increases the cost of non-work trips. The increase in the excise tax dominates the decrease in output prices which makes the cost of non-work trips increase. The decrease in wage and disposable income reduces the demand for housing floor space (income effect) which reduces the residential rent. This rent reduction causes substitution in favor of demand for housing floor space (the substitution effect). Also with an increase in non-work trip cost, people will shift their demands at the margin from the composite good to residential floor space.

From this result, we find that the substitution effect of an increase in the excise tax dominates its income effect which results in an increase in the stock and construction of residential floor space. But the decrease in the population of GB plays an important role in reducing the aggregate demand for housing floor space even in the presence of a strong substitution effect. Hence the stock and construction of new residential housing decreases in GB. But a falling commercial rent, reduces both the stock and construction of commercial floor space in MB and GB. As expected the reduction in stock and construction of both residential and commercial floor space in GB, increases its stock of vacant land. Whereas in MB, the increase in vacant land due to the fall in commercial floor space stock is not fully utilized for the construction of new residential floor space. As a result vacant land increases in MB.

For the average worker, the benefit from the decrease in the price of output and residential rent, and the travel time decrease is outweighed by the decrease in wage and the increase in the cost of commute and shopping trips as the majority of them use private vehicles. Thus an average worker is worse-off. Non-workers are better off because the benefits outweigh the higher travel cost of non-work trips and non-workers have no commute costs. The social welfare however is lower overall. An increase in the exponent of the congestion function, i.e. $c_2 = 3.5$ which makes the change in social welfare less negative. The average worker is now better off as the effect of a decrease in traffic load and hence trip time and trip cost outweighs the negative effect of the tax.

The key transportation sector and city economic impacts of the increase in the gasoline excise tax are reflected in Figures 4a and 4b. The discussion of the results above explains the direction of impacts. The magnitudes of these impacts are also significant. The doubling of gasoline excise tax would increase total travel costs by 14%. As expected it would increase government revenues through increases in gasoline tax revenues and increased public transportation revenues. Although the tax on diesel, the main fuel used for public transportation vehicles, has not changed, public transport revenue still increases due to increase in public transportation trips caused by switching of passengers from private transportation to public transportation. This policy would however have a significant negative impact on the city's economy as rents, property values and gross regional products will drop. The drops on rents amount to 173 billion to 181 billion LBP and the drops on property value would be more than 2 trillion LBP. The nominal gross domestic product of the city drops by almost 200 billion LBP.

Figure 4a. Impacts of the increase in the excise tax on gasoline on transportation activity
(% change from the base case)





Figure 4b. Impacts of increase of excise tax on gasoline on urban economic activity (% change from the base case)



5.1.4 Parking cost

Under this policy, we increased the parking fees. As no specific number is given for parking fee increases, we have increased it by 10%, 15% and 25%. The detailed results are shown in Tables A5, A6 and A7. An increase in the parking tax, decentralizes both population and jobs to



GB. Wages, rents and prices decrease. Due to the decrease in the value of nominal product, the demand for commercial floor space decreases which also decreases the commercial rent.

An increase in the parking tax, makes consumers switch from private vehicle to all other modes, improving the speed of all modes. The travel cost by private vehicle also decreases. Traffic load, VMT and gasoline consumption all decreased. Public transit and parking tax revenues increase at the expense of gas tax revenue.

As the majority of people use private vehicles for trips, the increase in parking tax increases the cost of non-work trips even when the gasoline cost of private vehicles decreases. As a result, there is a decrease in non-work trips. The increase in the parking tax dominates the decrease in output price which decreases the cost of non-work trips. The decrease in wage and disposable income reduces the demand for housing floor space (income effect) which reduces the residential rent. This rent reduction causes substitution in favor of demand for housing floor space (substitution effect). Also with an increase in the non-work trip cost, people shift their demand from the composite good to residential floor space.

The stock and construction of residential floor space increases in MB but decreases in GB. For MB, the substitution effect of the parking tax dominates its income effect and it is still strong enough to increase the stock and construction of residential floor space when the population moves out to GB. In GB, the residential stock and construction falls as the income effect of the parking tax dominates the substitution effect and an increase in population. Value and stock for commercial floor decrease in both MB and GB due to a fall in the nominal value of output. Decrease in commercial floor space stock frees up land for construction of new residential floor space in MB. But construction demand for new residential floor space is not enough to compensate for the land vacated due to the decrease in the stock of commercial floor space. As a result of that vacant land increases in MB. In GB, the stock of vacant land increases as the stock of both residential and commercial floor space decreases.

As most workers use private vehicle for trip purposes, an increase in the parking tax rate outweighs the benefit of a decrease in prices. Also the adverse impact on wages outweighs the benefit from the decrease in travel cost, travel time and residential rent. The average worker is worse-off. Non-workers are better off as the benefit of a decrease in travel cost, travel time and residential rent is more than the loss in the demand for non-work trips. An increase in the exponent of the congestion parameter to $c_2 = 3.5$ makes the change in social welfare less negative. The average worker is now better off as the effect of a decrease in traffic load and hence trip time and trip cost outweighs the negative effect of tax.

The key transportation sector and city economic impacts of 25% increase on parking fee are reflected in Figure 5a and 5b. The discussion of the results above explains the direction of impacts. The magnitude of impacts are also significant. The doubling of gasoline excise tax would increase total travel costs by more than 12%. This policy would have a significant negative impact on the city's economy as rents, property values and gross regional products will drop. Although the percentage drops on rents, property values and gross regional products are small, the absolute values are not. For example, 25% increase on parking fee would reduce the rents by more than 100

billion LBP and property value by more than 1 trillion LBP. The drop on nominal gross domestic products of the city would be more than 100 billion LBP.

Figure 5a. Impacts of 25% increase of parking fee on transportation activity (% change from the base case)






Figure 5b. Impacts of 25% increase of parking fee on urban economic activity (% change from the base case)



5.1.5 Social welfare impacts of policy instruments or investment activities

Figure 6 compares the effects of different policy instruments and investment actions on total social welfare. The impacts on social welfare calculated by the model include the effects of changes in total travel costs, total changes in rents, and total change in property values. Among the individual policies and investment activities, road expansion would increase the value of social welfare per person in the Greater Beirut Area by 200,000 to 300,000 LBP. All other policies and investment activities would reduce social welfare by varying amounts.

Figure 6. Social welfare costs of policy instruments (‘000 LBP per person)



5.2. Results from the simulations of the policy packages

We have simulated the effects of three policy packages that contain a mix of demand side policy instruments and supply side investment activities. The supply side activities include the Bus Rapid Transit (BRT) or ring road as described in section 4.2, as well as other investment activity such as lane additions. These are combined with demand side instruments such as higher parking fees or gasoline excise taxes, as described in section 4.1. The policy packages selected for study were recommended for study in this paper by Ziad Nakat of the World Bank in Lebanon and by Maya Abou Zeid. They seem to have realistic chances of consideration by the city administration and implementation, based on our understanding of discussions in Lebanon’s policy circles.

The first two policy packages involve the Bus Rapid Transit (BRT) system with 120 buses described in section 4.2. This proposed BRT is 90%-180% faster than all existing modes of transport. The targeted waiting time for the BRT bus will be 2-3 minutes. Additionally, bus network extension will include 250 regular buses that will improve the waiting and access/egress time by 10%-30%. Under Policy package 1, the parking tax increases by 25% in both MB and GB. Thus, the parking cost for work trips increased from 1,466.02 LBP to 1,832.5 LBP in MB and from 500 LBP to 625 LBP in GB. For non-work trips, parking cost increased from 984.25 LBP to 1,230.3 LBP in MB and from 500 LBP to 625 LBP in GB. The purpose of the parking tax increase is to discourage driving and by doing so divert even more car trips to the BRT.

Policy package 2 accompanies the BRT with highway lane additions instead of the parking tax increase. Since under any policy involving the BRT, road capacity is reduced to accommodate the BRT, car congestion on the remaining roads would increase. While Policy package 1 attempts



to alleviate the higher congestion by increasing the parking tax, Policy package 2 attempts to alleviate the congestion by adding more road capacity for cars.

Policy package 3 is the ring road in GB described in section 4.2, accompanied with a 100% increase in the excise tax on gasoline. This amounts to a 16.5% increase in the after-tax gasoline price per liter.

5.2.1 Policy package 1: BRT buses, bus extension and parking fee increase

We simulated this policy package by introducing BRT buses as an alternative mode of transport which is 90%-180% faster than all existing modes of transport. The targeted waiting time for BRT bus will be 2-3 minutes. Bus network extension will improve the waiting and access/egress time by 10%-30%. The cost of implementing Policy 1 will be around 250 million USD which is 2% of the nominal gross product in the base year. Parking fee is increased by 25% in both MB and GB.

After the introduction of Policy package 1, there is an increase in social welfare per consumer. Welfare gains for workers and non-workers given in Table 5 are equivalent to 39% and 22% of their gross annual income. Both have greatly benefitted from reduction in travel time and travel cost for work and non-work trips. The speed of traffic improves by 139% and reduces congestion by 19%. The aggregate travel time in the Greater Beirut region is reduced by 43% which is equivalent to 24 minutes saved per trip.¹⁰

There is an increase in public transit and parking tax revenue at the expense of gas tax revenue. Even when people switched away to public transit, especially BRT buses, there is a marginal increase in tax revenue as the tax rate is high enough to recover the loss due to revenue reduction from private vehicles. Public transit revenue increased by 149% due to higher share of public transit users. Gas tax revenue decreased by 74 LBP per consumer as people switched away from gasoline driven modes to BRT buses. Also the decrease in gas tax revenue can be attributed to parking tax being imposed on private vehicles which further reduces private vehicle use. All these factors improved traffic speed and reduced gasoline consumption and VMT. Improved travel time and reduced travel cost increased the disposable income for both workers and non-workers which resulted in a marginal increase in non-work trips by 0.03% and overall trips by 0.01% given in Table 5. Introduction of BRT created a mode share of 18% for BRT buses at the expense of all other modes.

From Table 6, we observe that some employment and population has moved into MB from GB. There is also an increase in labor supply relative to its demand which reduced the wage in MB but increased it in GB as labor supply decreases relative to its demand. In MB, rising rent encouraged the construction for new residential floor space to accommodate rising population. Whereas there is a negligible change in residential rent in GB and the stock of residential floor space decreased due to loss in population. There is an increase in nominal and real output which increased the demand for commercial floor space in both MB and GB. Increase in demand for

¹⁰ Time saved per trip is total time saved divided by aggregate trips across all modes.

commercial floor space also increased the rent of commercial floor space. Beirut, as a region, witnessed an increase in real estate value of 1.05% after the implementation of Policy package 1.

5.2.2. Policy package 2: BRT buses, bus extension and lane addition

In Policy package 2, the parking tax in Policy package 1 is replaced by the construction of additional lanes. This would increase the road capacity in GB by less than 1%. Such lane additions will cost around 200 million USD i.e. 1.5% of nominal gross product. So in total the cost of implementing Policy package 2 will be 3.5% of nominal gross product.

The welfare effects of both Policy package 1 and Policy package 2 are similar. The welfare of both workers and non-workers has increased as shown in Table 5. The welfare gains are equivalent to 40% and 22% of their gross annual income. The additional gains for workers under Policy package 2 relative to Policy package 1 are because traveling by private vehicle is less time consuming and less costly which is complementing the effect seen under the introduction of BRT and the regular bus network expansion. There is an increase in public transit revenue from the gas tax and the parking tax. Gas tax and parking tax revenue decreased by 74 LBP and 43 LBP as people switched to public transit especially BRT bus. Higher disposable income due to lower travel cost encouraged more non-work trips. Non-work trips under Policy package 2 are higher than under Policy package 1 as the higher parking tax under Policy package 1 reduced disposable income. Under package 2, 18% of the total trips are made in BRT buses with an associated decrease in VMT and gasoline consumption and is similar to Policy package 1 outcome. Traffic speed improved, traffic congestion decreased and travel time saved per trip is equivalent to 23 minutes.

From Table 6, we observe that both employment and population has moved into MB from GB, similar to Policy package 1. There is also an increase in labor supply relative to its demand which reduced the wage in MB but wage increases in GB as labor supply decreases relative to its demand. In both MB and GB, residential rent has increased. The price effect of higher residential rent will lower individual floor space demand. Also population in MB has increased which should increase the demand for residential floor space. At the margin, the price effect of the rent increase is greater than the effect of the population increase in MB. Such an effect discourages construction of new residential floor space and hence residential stock decreased in MB. Residential stock decreased in GB too due to the adverse price effect and the decrease in population. There is an increase in nominal and real output which increased the demand for commercial floor space in both MB and GB. The increase in the demand for commercial floor space also raised the rent of commercial floor space. Beirut as a region witnessed an increase in real estate values of 1.33% after the implementation of Policy package 2.

5.2.3. Policy package 3: Road capacity increase (Ring road, *Peripherique*) and gasoline tax increase

In Policy package 3, road capacity is increased in GB by building a ring road or 'Peripherique'. It will increase the road supply by 4.1%. The construction cost of this new road including expropriation of land is around 2 billion USD i.e. 15% of the nominal gross product of the base year.



After the implementation of Policy package 3, welfare is decreased as the cost of implementation far outweighs its benefits. Welfare gained by workers is around 6% of annual income and welfare lost by non-worker is lower than 1% of their non-wage income. On the one hand, increasing road capacity in GB encouraged trips by private vehicles, but on the other hand, higher gasoline tax discouraged traveling by private vehicle. At the margin, the result in Table 5 show that congestion has decreased whereas the mode choice shares remained more or less unchanged. So the improvement in speed by 11% is not due to changes in mode choice in favor of public transit but because of a decrease in non-work trips by 0.91% which reduced the overall traffic. Imposition of the higher gasoline tax outweighs the decrease in trip cost through improved traffic speed which reduces the disposable income and as such adversely affect the demand for non-work trips. There is a small decrease in public transit and parking tax revenue of 1 LBP and 3 LBP per person respectively. Gas tax increased marginally by 16 LBP only. Improved speed reduced VMT and gasoline consumption by 0.40% and 6% respectively. The travel time saved is around 5 minutes per trip.

In Table 6, we see that contrary to Policy packages 1 and 2, there is a decentralization of both population and employment to GB. Wage in MB increased as labor supply decreased relative to its demand, whereas wage decreases in GB. The higher gasoline tax lowered the disposable income which caused the residential rent to fall. In MB, the favorable price effect of the rent decrease and the higher wage outweighed the decrease in population. This resulted in an increase in the stock of residential floor space at the margin. In GB, higher population along with lower residential rent resulted in an increase in the stock of residential floor space. Fall in nominal gross product by 0.66% adversely affected the demand for commercial floor space and hence the commercial rent fell marginally by 0.46% and 0.19% in MB and GB respectively. Beirut as a region experienced a drop in real estate values after the implementation of Policy 3.

Figure 7 shows the percentage change in mode choice share under each of the three policies, while Figure 8 shows changes in traffic related variables and Figure 9 in economic variables. Public transit includes regular bus, minibus and BRT bus. Under Policy package 1 and Policy package 2 there is an increase in public transit ridership at the expense of private vehicle and taxi service. Whereas there is a marginal increase in the share of private vehicle at the expense of public transit and taxi service. In all the three policies, there is a decrease in gasoline consumption, VMT, total travel time and an increase in traffic speed. The magnitude of changes is higher under Policy package 1 and Policy package 2 in comparison to Policy package 3. Government revenue which includes public transit revenue, parking tax revenue and gasoline tax revenue increases under all the policy packages. Real estate values and gross product increased under Policy package 1 and Policy package 2 but both of them decreased under Policy package 3.

TABLE 5: Welfare and travel related results for all three policy packages

Welfare change (LBP/year/consumer)	Policy package 1: BRT + bus ext. & parking tax incr.	Policy package 2: BRT + bus ext. & land additions	Policy package 3: Ring road & gas. tax
---	---	--	---

Total welfare	2,496,441	2,345,318	-1,796,943
Consumer CV	2,617,273	2,637,097	334,846
Worker	5,126,104	5,178,149	777,561
Non-worker	713,875	709,254	-1,033
Real Estate Value	138,968	176,043	-52,231
Sources of tax revenue (LBP/year/consumer)			
Gas Tax	-74	-74	16
Public Transit	199	198	-1
Parking Tax	21	-43	-3
Cost of policy implementation (LBP/year/consumer)			
BRT	259,946	259,946	0
Road construction	0	207,957	2,079,570
Consumer Utility			
		% change from base	
Overall	4.06	4.06	0.33
Worker	6.14	6.17	0.77
Non-worker	2.48	2.46	0
TRAVEL COMPONENTS			
		% change from base	
Trips	0.01	0.28	-0.50
Non-Work Trips	0.03	0.56	-0.91
Average Speed	138.8	137.3	11
Gasoline	-43	-42.7	-6
VMT	-15.9	-15.5	-0.40
Total Travel Time	-42.6	-42.3	-10

TABLE 6: Effects of the policy packages on employment, rent, wage and gross product

	Policy package 1: BRT+bus ext. & parking tax incr.	Policy package 2: BRT+bus ext. & lane add.	Policy package 3: Ring road & gas. tax
% changes from base			
Jobs			
MB	6.8	6.8	-2.1
GB	-3.1	-3	1
Hourly Wage			
MB	-5.1	-4.5	1.5
GB	5.4	5.8	-1.7
Annual Residential Rent			
MB	6.9	7.4	-1.3
GB	0.01	0.51	-0.4
Annual Commercial Rent			
MB	1	1.5	-0.46
GB	0.53	0.64	-0.19
Gross Product	1.7	2.3	-0.66

FIGURE 7: Percentage change in mode choice share under the three policy packages




FIGURE 8: Percentage change in different traffic variables under the three policy packages





FIGURE 9: Percentage change in economic variables under the three policy packages



We did a further analysis in order to decompose the supply side from the demand side policy effects under each policy package. Recall that Policy package 1 includes the introduction of BRT buses together with a regular bus network extension on the supply side, and the demand side instrument of the parking fee increase. Policy package 2 includes the supply side policy of the introduction of BRT buses together with a regular bus network extension, and another supply side measure, highway lane addition in suburban GB. Policy package 3 includes a different supply side measure, the construction of a ring road in suburban GB, together with the increase in the gasoline tax as a demand side policy instrument. In Tables 7 and Table 8, which correspond to Tables 5 and 6, there are two runs (columns) reported for each policy. The first of these runs calculates the changes from the base situation when the supply side part of the policy is introduced, and the second run calculates the additional change when the other part of the policy is added (demand side for Policy package 1 and Policy package 3, and the other supply side part of Policy package 2).

The results show that the supply side instruments are responsible for a very large part of the improvements in total social welfare, and consumer welfare, while the demand side part of the package causes small changes in either direction depending on the policy. This is because the supply side policies and especially the BRT is very effective in directly speeding up public transportation, and indirectly travel by car, by getting car traffic off the roads. The 25% parking tax increase under Policy package 1 makes a small negative difference to consumer utility. This is because the parking tax increase is small and a poor substitute to pricing congestion with a Pigouvian congestion toll.

TABLE 7: Welfare and travel related results for all three policy packages.

	Policy package 1: BRT+bus ext. & parking tax incr.		Policy package 2: BRT+bus ext.& lane add.		Policy package 3: Ring road & gas. tax	
	BRT+regular bus extens.	Parking tax incr.	BRT+regular bus extens.	GB lane additions	Ring road	Gasoline tax incr.
Welfare change (LBP/year/consumer)						
Total welfare	2,541,129	-44,688	2,541,129	-195,811	-1,738,447	-58,496
Consumer welfare	2,626,094	-8,821	2,626,094	11,003	313,188	21,658
Worker	5,152,197	-26,093	5,152,197	25,952	733,142	44,419
Non-worker	709,591	4,284	709,591	-337	-5,423	4,390
Real Estate Value	174,899	-35,931	174,899	1,144	27,941	-80,172
Sources of tax revenue (LBP/year/consumer)						
Gas Tax	-73	-1	-73	-1	-4	20
Public Transit	198.7	0.3	198.7	-0.3	-2	1
Parking Tax	-43	64	-43	0	0.10	-3.1
Cost of policy implementation (LBP/year/consumer)						
BRT	259,946	0	259,946	0	0	0
Road construction	0	0	0	207,957	2,079,570	0
TRAVEL COMPONENTS						
	% changes from base					
Trips	0.27	-0.26	0.27	0.01	0.12	-0.62
Non-Work Trips	0.55	-0.52	0.55	0.01	0.23	-1.1
Average Speed	136.6	2.2	136.6	0.7	9	2
Gasoline	-42	-1	-42	-0.7	-4	-2
VMT	-15.6	-0.3	-15.6	0.11	0.39	-0.79
Total Travel Time	-42	-0.6	-42	-0.3	-7	-3

Note: For each policy package, column 1 is change or % change from base and column 2 is change or % change from column 1

TABLE 8: Important results for all three policy packages

	Policy package 1		Policy package 2		Policy package 3	
	BRT+regular bus extens.	Parking tax incr.	BRT+regular bus extens.	GB lane Additions	Ring road	Gasoline tax incr.
Population	% change from base					
MB	6.6	0	6.6	0	-0.32	0.04
GB	-3	0	-3	0	0.14	-0.01
Jobs						
MB	6.9	-0.1	6.9	-0.1	-1.9	-0.2
GB	-3.2	0.1	-3.2	0.2	0.9	0.1
Hourly wage						
MB	-4.6	-0.5	-4.6	0.1	2.5	-1
GB	5.8	-0.4	5.8	0	-0.7	-1
Annual residential rent						
MB	7.4	-0.5	7.4	0	-0.3	-1
GB	0.51	-0.5	0.5	0.01	0.6	-0.2
Annual Commercial Rent						
MB	1.4	-0.4	1.4	0.1	0.4	-0.86
GB	0.6	-0.07	0.6	0.04	0.1	-0.29
Gross Product						
	2.2	-0.5	2.2	0.1	0.3	-0.96

Note: For each policy package, column 1 is change or % change from base and column 2 is change or % change from column 1

Policy package 2 gives results very similar to policy package 1, except that in this case, the highway land additions have a small but net positive effect on consumer CV, but a negative effect on total welfare because of the cost of the additional lanes. The ring road under the third policy package increases consumer welfare but much less than the BRT because it is much less effective in alleviating congestion. Its total effect on welfare is negative because of its very high cost. The gasoline tax doubling under the same package has a notable additional effect on consumer welfare because it approximates well the effect of congestion pricing, much better than the parking tax does under the first policy package.

Table 9 presents the improvement in each of three different measures of congestion. The first two measures are utilized mostly by engineers and planners and measure congestion in physical terms. The first of these is the ratio of the composite traffic load per unit of road capacity or more commonly known as the flow-to-capacity ratio. Table 9 shows that this ratio is a very high 9-10 in the base case. It falls by 15-17.5% under the first two policy packages involving the BRT but falls much less under the third package involving the ring road.

The second measure is that popularized by the Texas Transportation Institute commonly known as the TTI index. It measures congestion as the ratio of actual travel time to free-flow travel

time. We take free-flow travel time to be 100 km/hr. (62 miles per hour). The base value of this measure is in the 7.4-10.6 range, but it improves by 44-50% under the BRT (packages 1 and 2) and by only 6-13% under the ring road (package 3).

The third measure is the aggregate congestion externality, favored by economists. It is the total monetary value of the congestion delays caused by all traffic in LBP per year per consumer in the model. In the base year this amounts to 283,399 LBP per consumer per year (approximately 189 \$ US). The aggregate amount is equivalent to 2.11% of the Beirut region's gross product and 3.96% of the per consumer income. Under the policy packages that include the BRT the aggregate congestion externality falls by about 53% but by only 5% under Policy package 3.

TABLE 9: Improvement in congestion measures relative to Base

	Base	Policy package 1	Policy package 2	Policy package 3
	% changes from base			
FLOW TO CAPACITY RATIO				
MB-MB	10.02	-17.78	-17.45	-1.72
MB-GB	9.04	-16.19	-16.14	-3.26
GB-MB	9.14	-17.15	-16.86	-2.11
GB-GB	9.31	-15.51	-15.47	-3.75
TTI INDEX FOR ROAD TRAFFIC				
MB-MB	10.63	-49.51	-48.80	-5.87
MB-GB	7.42	-46.01	-45.89	-10.93
GB-MB	7.72	-48.13	-47.50	-7.19
GB-GB	8.23	-44.48	-44.38	-12.49
CONGESTION EXTERNALITY				
Aggregate congestion externality (in billion LBP/year)	408.83	-53.82	-52.88	-5.70
Congestion externality per consumer (LBP/year)	283,399	-53.82	-52.88	-5.70
Congestion externality as a percent of Beirut gross product	2.11	-54.61	-53.91	-5.07

In summary, under policy packages 1 and 2, the BRT is very effective. It reduces congestion as measured by the flow to capacity ratio by about 16%. It increases the Beirut region's gross product by 1.8% under package 1 and by 2.3% under package 2, implying an elasticity of gross product to congestion of 11-14% under these policies. Consumer welfare under both packages increases by about 4%, with almost all of this due to the BRT, implying an elasticity of consumer utility to congestion of about 25%. The congestion externality is reduced by about 54%, implying an elasticity of the congestion externality to congestion of 337.5%.



6. Conclusions

Beirut, like most growing cities, faces the unwelcome effects of traffic congestion resulting from a number of causes. It is critical to alleviate the problem by implementing effective policies, based on weighing their overall economic cost and benefit to society. For this purpose, this study applied an empirical model based on microeconomic theory that accounts for consumption and production behavior related to transportation in the Greater Beirut Area (GBA). includes both Beirut Municipality (MB) and Greater Beirut (GB), the location of suburbs and exurbs. The model accounts for the origin and destination of trips and all their characteristics including trip type, trip frequency, vehicle fuel type, transportation mode, travel time and cost, real estate information, work and residential areas etc. We first simulated a number of supply and demand side measures aimed to reduce congestion individually, and compared these policies in terms of their impacts on the economy. This was followed by simulations of three plausible combination of these measures as well as with additional activities, based on our understanding of discussions in Lebanon's policy circles and the options being evaluated by the City Administration.

One of the key findings of the study is that individual supply side policies such as the expansion of roads or the introduction of a Bus Rapid Transit (BRT) system would be more beneficial for Beirut compared to individual demand side policies such as an increased gasoline tax or higher parking fees. Similarly, in the policy packages considered, most of the benefits come from the supply-side components. This is because the supply side policies and especially the BRT are very effective in directly speeding up public transportation, and indirectly speeding up travel by car by getting car traffic off the roads. The introduction of the BRT with the expansion of the conventional bus systems to feed the BRT reduces congestion, as measured by the flow to capacity ratio, by about 16%. The reduction of costs caused by congestion would be more than 50%, while the gross product of the Beirut region would increase by 1.8%. The introduction of the BRT and the expansion of associated road network would have similar effects on congestion and on congestion costs and would increase the Beirut region's gross product by 2.3%. Social welfare, measured in terms of consumer utility, would increase by about 4%. On the other hand, demand side instruments such as increased gasoline taxes and parking fees, if implemented on their own, would have negative economic consequences including slight drops in gross national product and in welfare.

Considering that most past studies on transport congestion management focused mostly on demand side instruments, this study has brought additional insights comparing various policy instruments on both the demand and the supply sides. Some limitations should be kept in mind while interpreting the results and policy findings. Although we found that the BRT is a most promising option for addressing congestion in Beirut, it may, in the future, cause problems of overcrowding and other unintended negative social impacts.¹¹ In the future, congestion might occur again due to increased volume of vehicles and transport service demand as population of the city, income level and vehicle ownership would increase. Therefore, demand side options have an

¹¹ For more on the limitation of BRT refer to Gilbert (2008) and Suzuki et. al. (2013).



important role as complements to supply-sided measures in the longer-run. Another limitation is that we had to work on a high level of aggregation dividing Beirut into just two zones. The results would have been more precise had we divided the city into additional zones. However, detailed data needed to divide the city more regions for a more detailed study are not currently available.

References

- Abou Zeid, M., Hassan, L. A-H. 2016. Beirut Mobility Study: Data Items Report (Fourth Revision, September 4), American University of Beirut.
- Anas, A. and R. J. Arnott, 1991. “Dynamic Housing Market Equilibrium with Taste Heterogeneity, Idiosyncratic Perfect Foresight and Stock Conversions,” *Journal of Housing Economics*, 1, 2-32.
- Anas, A. and Chu, C., 1984. “Discrete Choice Models and The Housing Price and Travel to Work Elasticities of Location Demand,” *Journal of Urban Economics*, Vol. 15, pp. 107-123.
- Anas, A. and Y. Liu, 2007. “A Regional Economy, Land Use, and Transportation Model (RELU-TRAN©): Formulation, Algorithm Design, and Testing,” *Journal of Regional Science*, Vol. 47, No. 3, pp. 415-455.
- Anas, A., Timilsina, G., and Zheng, S., 2009. An Analysis of Various Policy Instruments to Reduce Congestion, Fuel Consumption and CO₂ Emissions in Beijing. World Bank Policy Research Working Paper 5068. Washington, DC: The World Bank.
- Anas, A. and Timilsina, G., 2009b. Impacts of Policy Instruments to Reduce Congestion and Emissions from Urban Transportation: The Case of Sao Paulo, Brazil. World Bank Policy Research Working Paper 5099. Washington, DC: The World Bank.
- Anas, A. and Timilsina, G., 2015. “Offsetting the CO₂ Locked-In by Roads: Suburban Transit and Core Densification as Antidotes”, *Economics of Transportation*, Vol 4, pp. 37-49
- Arnott, R., 2013. “A Bathtub Model of Downtown Traffic Congestion”, *Journal of Urban Economics*, Vol. 76, pp. 110-121.
- BankMed, 2014. “Analysis of Lebanon’s Real Estate Sector”, August edition
- Chalak, A., Al-Naghi, H., Irani, A., Abou-Zeid, M., 2016. “Commuters’ Behavior Towards Upgraded Bus Services in Greater Beirut: Implications for Greenhouse Gas Emissions, Social Welfare and Transport Policy”, *Transportation Research Part A*, Vol. 88, pp. 265-285.
- Diab, D. and Obeid, M., 2012. Traffic Congestion on the Northern Entrance into Beirut, Lebanon: Evaluation and Recommendation. HBS Independent Project. Unpublished Document.



Danaf, M., Abou-Zeid, M., and Kaysi, I., 2014. “Modeling Travel Choices of Students at a Private, Urban University: Insight and Policy Implications”, *Case Studies on Transportation Policy*, Vol. 2, pp. 142-152.

DMJM & Harris and IBI Group. (2003). Beirut Suburban Mass Transit Corridor Feasibility Study. Unpublished Report Submitted to the Ministry of Public Works and Transport, Lebanon.

Gilbert, A. 2008.” Bus Rapid Transit: Is Transmilenio a Miracle Cure?”, *Transport Reviews*, Vol. 28, pp. 439-467.

Habib, O (2015). IMF calls for increasing VAT, cutting EDL subsidies. The Daily Star Newspaper Lebanon. Retrieved 22 June 2016, from <http://www.dailystar.com.lb/Business/Local/2015/May-14/297871-imf-calls-for-increasing-vat-cutting-edl-subsidies.ashx>.

IBI Group, and TEAM International. (2009). Study for the Revitalization of the Public and Freight Transport Industry in Lebanon. Unpublished Report Submitted to the Ministry of Public Works and Transport, Lebanon.

Indra, D., 2014. “Choice of Residence Location and Mode of Commuting: A Cross-Sectional Analysis of 275 US Metropolitan Areas” (working paper).

Meignan, D., Simonin, O., and Koukam, A., 2007. “Simulation and Evaluation of Urban Bus-Networks Using a Multi-Agent Approach”, *Simulation Modelling Practice and Theory*, Vol. 15, pp. 659-671.

Ministry of Environment (MoE)/United Nations Development Program (UNDP),2015. Fossil Fuel Subsidies in Lebanon: Fiscal, Equity, Economic and Environmental Impacts. Beirut, Lebanon.

Parry, I. and Timilsina, G., 2009. “Pricing Externalities from Passenger Transportation in Mexico City”. Policy Research Working Paper 5071. Washington, DC: The World Bank.

Parry, I. and Timilsina, G., 2012. “Demand Side Instruments to Reduce Road Transportation Externalities in the Greater Cairo Metropolitan Area”. Policy Research Working Paper 6083, Washington, DC: The World Bank.

Parry, I. and Timilsina, G., 2015. Demand-Side Instruments to Reduce Road Transportation Externalities in the Greater Cairo Metropolitan Area." *International Journal of Sustainable Transportation*, Vol. 9, pp. 203-216.



Available online at www.sciencedirect.com

ScienceDirect

Transportation Research Procedia 00 (2018) 000–000

Transportation
Research
Procedia

www.elsevier.com/locate/procedia

Suzuki, H., Cervero, R., and Iuchi, K. 2013. “Transforming Cities with Transit: Transit and Land-use Integration for Sustainable Urban Development.” Washington, DC: The World Bank.

TEAM International, 2009. On-Street Parking Control Mixed Land-Use Areas Hamra District. Interim Report No.2. Beirut: Council for Development and Reconstruction.

Timilsina, G. and Dulal, H.2008.” Fiscal Policy Instruments for Reducing Congestion and Atmospheric Emissions in the Transport Sector: A Review”. Policy Research Working Paper: WPS4652. Washington, DC: The World Bank.

World Bank (2015). Greater Beirut Urban Transport, Project Information Document. <http://wbescs01.worldbank.org:9280/ACS/servlet/ACS>. Downloaded on March 29, 2017.

APPENDIX A

Detailed results from the simulations of various policy instruments and public projects

Table A1: Increase in road supply

Variables	BASE RESULTS	$c_2 = 2$		$c_2 = 3.5$	
		SIMULATED RESULT	CHANGES	SIMULATED RESULT	CHANGES
Price of Output (LBP)					
MB	10.00	10.05	0.501	10.10	1.004
GB	10.00	10.00	-0.043	9.98	-0.159
Hourly Wage (LBP/hr)					
MB	4,363.20	4,415.73	1.204	4,472.21	2.498
GB	3,452.04	3,443.33	-0.252	3,429.29	-0.659
Annual Residential Rent (LBP/ Sq. Meter)					
MB	175,800	174,659	-0.649	175,197	-0.343
GB	83,550	83,993	0.531	84,051	0.600
Annual Commercial Rent (LBP/ Sq. Meter)					
MB	426,750	427,626	0.205	428,242	0.350
GB	227,400	227,542	0.063	227,616	0.095
Annual Vacant Land Rent (LBP/ Sq. Meter)					
MB	503,640	503,818	0.035	504,069	0.085
GB	73,350	73,414	0.088	73,440	0.122
Annual Value of Residential Stock (LBP/ Sq. Meter)					
MB	5,860,000	5,837,217	-0.389	5,846,524	-0.230
GB	2,785,000	2,792,868	0.283	2,794,085	0.326
Annual Value of Commercial Stock (LBP/ Sq. Meter)					
MB	8,535,000	8,549,537	0.170	8,561,937	0.316
GB	4,548,000	4,550,260	0.050	4,551,254	0.072
Annual Value of Vacant Land (LBP/ Sq. Meter)					
MB	16,788,000	16,793,920	0.035	16,802,304	0.085
GB	2,445,000	2,447,143	0.088	2,447,994	0.122
Stock of Residential Floor Space (Sq. Meters)					
MB	5,259,997	5,256,399	-0.068	5,255,216	-0.091
GB	21,342,698	21,368,233	0.120	21,368,668	0.122
Stock of Commercial Floor Space (Sq. Meters)					
MB	11,859,052	11,873,482	0.122	11,882,087	0.194
GB	37,501,072	37,540,416	0.105	37,564,055	0.168
Stock of Vacant Land (Sq. Meters)					
MB	4,650,000	4,650,017	0.000	4,648,977	-0.022
GB	52,610,000	52,578,068	-0.061	52,571,548	-0.073
Employment by Workplace Location					
MB	198,839	197,158	-0.845	195,096	-1.882
GB	423,489	425,170	0.397	427,232	0.884
Population by Residence Location					
MB	445,184	443,714	-0.330	443,758	-0.320
GB	997,422	998,892	0.147	998,848	0.143

Private Vehicle Trips by (i,j)					
MB-MB	133,112	130,301	-2.112	130,590	-1.895
MB-GB	174,556	175,047	0.281	175,806	0.716
GB-MB	244,519	246,075	0.637	243,244	-0.521
GB-GB	427,187	433,019	1.365	437,357	2.381
Bus Trips by (i,j)					
MB-MB	3,562.04	3,452.51	-3.075	3,423.29	-3.895
MB-GB	4,669.58	4,587.60	-1.756	4,555.26	-2.448
GB-MB	7,801.83	7,668.93	-1.703	7,539.52	-3.362
GB-GB	10,626	10,480	-1.373	10,425	-1.892
Mini Bus Trips by (i,j)					
MB-MB	22,186	21,531	-2.956	21,374	-3.663
MB-GB	29,085	28,626	-1.578	28,457	-2.157
GB-MB	48,594	47,861	-1.510	47,083	-3.110
GB-GB	66,183	65,436	-1.128	65,179	-1.516
Taxi Service Trips by (i,j)					
MB-MB	8,575	8,291	-3.315	8,248	-3.817
MB-GB	10,586	10,400	-1.757	10,289	-2.801
GB-MB	14,045	13,882	-1.160	13,648	-2.830
GB-GB	24,937	24,571	-1.467	24,440	-1.994
Trips by mode (m)					
Private Vehicle	979,372	984,442	0.518	986,997	0.778
Bus	26,659	26,189	-1.764	25,943	-2.687
Mini Bus	166,048	163,453	-1.563	162,094	-2.382
Taxi Service	58,143	57,148	-1.718	56,624	-2.612
Travel Time by Private Vehicle for (i,j) (Minutes)					
MB-MB	42.10	41.44	-1.579	40.43	-3.959
MB-GB	53.00	49.99	-5.684	48.37	-8.742
GB-MB	57.00	54.22	-4.872	54.13	-5.034
GB-GB	46.40	43.35	-6.579	41.63	-10.279
Travel Time by Bus for (i,j) (Minutes)					
MB-MB	77.60	76.64	-1.243	75.18	-3.117
MB-GB	98.30	93.93	-4.441	91.59	-6.830
GB-MB	104.20	100.17	-3.867	100.04	-3.996
GB-GB	88.80	84.37	-4.986	81.88	-7.790
Travel Time by MiniBus for (i,j) (Minutes)					
MB-MB	63.10	62.27	-1.316	61.02	-3.300
MB-GB	81.70	77.94	-4.606	75.91	-7.084
GB-MB	86.80	83.33	-4.002	83.21	-4.135
GB-GB	73.50	69.68	-5.191	67.54	-8.111
Travel Time by Taxi Service for (i,j) (Minutes)					
MB-MB	58.33	57.60	-1.253	56.50	-3.142
MB-GB	72.33	69.02	-4.582	67.23	-7.047
GB-MB	76.73	73.68	-3.981	73.57	-4.114
GB-GB	65.13	61.77	-5.162	59.88	-8.065
Monetary Travel Cost by Private Vehicle for (i,j) (LBP)					
MB-MB	1,701.39	1,688.46	-0.760	1,668.48	-1.934

MB-GB	2,527.46	2,439.28	-3.489	2,390.02	-5.438
GB-MB	2,674.59	2,596.40	-2.923	2,593.73	-3.023
GB-GB	2,119.76	2,038.11	-3.852	1,989.76	-6.133
PHIijm for BUS					
MB-MB	0.09	0.09	2.530	0.09	3.230
MB-GB	0.09	0.09	1.427	0.09	2.003
GB-MB	0.09	0.09	1.384	0.09	2.774
GB-GB	0.09	0.09	1.112	0.09	1.540
Traffic Load by (i,j)					
MB-MB	95,097	92,925	-2.284	93,001	-2.204
MB-GB	123,921	123,862	-0.047	124,131	0.169
GB-MB	175,003	175,522	0.297	173,364	-0.936
GB-GB	300,627	303,417	0.928	305,742	1.701
Weighted Rent by Location (LBP/ Sq. Meter)					
MB	382,538	382,841	0.079	383,384	0.221
GB	127,137	127,341	0.160	127,413	0.217
Weighted Value of Stocks by Location (LBP/ Sq. Meter)					
MB	9,651,538	9,655,120	0.037	9,665,347	0.143
GB	3,217,708	3,221,580	0.120	3,222,875	0.161
Construction of Residential Floor Space (Sq. Meters)					
MB	15,080	15,070	-0.060	15,067	-0.083
GB	218,712	218,840	0.058	218,833	0.055
Construction of Commercial Floor Space (Sq. Meters)					
MB	112,692	112,813	0.107	112,883	0.169
GB	1,324,943	1,325,588	0.049	1,326,084	0.086
Aggregate rent in the Region (MB & GB) (LBP)	22,497,353,364,096	22,535,043,952,048	0.168	22,559,587,472,476	0.277
Aggregate value in the Region (MB & GB) (LBP)	381,123,093,725,158	381,698,410,548,332	0.151	381,923,870,210,237	0.210
Aggregate Daily Non-work Person Trips	607,895	608,899	0.165	609,329	0.236
Aggregate Daily Vehicle Miles Travelled (Kilometers)	13,366,017	13,413,052	0.352	13,418,073	0.389
Aggregate Daily Gasoline Consumption (Liters)	1,620,915	1,573,554	-2.922	1,550,120	-4.368

Gross Nominal Regional Product(LBP)	19,412,277,163,440	19,454,338,571,108	0.217	19,479,454,336,360	0.346
Gross Real Regional Product	1,941,227,716,344	1,942,347,293,120	0.058	1,942,665,521,868	0.074
Inclusive Value					
IV of worker	9.18	9.22	0.478	9.24	0.713
IV of non-worker	10.53	10.53	-0.006	10.53	-0.017
Different Sources of Tax Revenue (LBP)					
Gas Tax Revenue	244,911,661	237,768,982	-2.916	234,251,134	-4.353
Public Transit Revenue	192,707,342	189,641,927	-1.591	188,036,287	-2.424
Parking Tax Revenue	468,083,192	469,206,982	0.240	469,004,957	0.197
Cost of Policy Implementation (LBP)					
Cost of Building New Road		37,800,000,000		37,800,000,000	
Compensating Variation (LBP)					
CV for Worker		495,576		732,041	
CV for Non-worker		-1,937.13		-5,382.82	
CV		212,686		312,735	
Social Welfare change per person by Region (LBP)					
SW for Road Policy		206,417		314,277	

TABLE A2: Increase in bus supply for case 1

CASE 1	$c_2 = 2$			$c_2 = 3.5$	
Variables	BASE RESULTS	SIMULATED RESULT	CHANGES	SIMULATED RESULT	CHANGES
Price of Output (LBP)					
MB	10.00	10.00	0.000	10.00	0.000
GB	10.00	10.00	0.000	10.00	0.000
Hourly Wage (LBP/hr)					
MB	4,363.20	4,363.56	0.008	4,363.23	0.001
GB	3,452.04	3,450.80	-0.036	3,450.21	-0.053
Annual Residential Rent (LBP/ Sq. Meter)					
MB	175,800	175,783	-0.010	175,762	-0.022
GB	83,550	83,523	-0.033	83,508	-0.051
Annual Commercial Rent (LBP/ Sq. Meter)					
MB	426,750	426,634	-0.027	426,560	-0.045
GB	227,400	227,357	-0.019	227,328	-0.032
Annual Vacant Land Rent (LBP/ Sq. Meter)					
MB	503,640	503,626	-0.003	503,617	-0.005
GB	73,350	73,345	-0.007	73,341	-0.012
Annual Value of Residential Stock (Sq. Meters)					
MB	5,860,000	5,859,815	-0.003	5,859,592	-0.007
GB	2,785,000	2,784,724	-0.010	2,784,572	-0.015
Annual Value of Commercial Stock (Sq. Meters)					
MB	8,535,000	8,533,855	-0.013	8,533,130	-0.022
GB	4,548,000	4,547,636	-0.008	4,547,392	-0.013
Annual Value of Vacant Land (Sq. Meters)					
MB	16,788,000	16,787,528	-0.003	16,787,224	-0.005

The GB	2,445,000	2,444,828	-0.007	2,444,715	-0.012
Stock of Residential Floor Space (Sq. Meters)					
MB	5,259,997	5,260,140	0.003	5,260,223	0.004
GB	21,342,698	21,342,884	0.001	21,343,160	0.002
Stock of Commercial Floor Space (Sq. Meters)					
MB	11,859,052	11,858,148	-0.008	11,857,588	-0.012
GB	37,501,072	37,491,129	-0.027	37,484,361	-0.045
Stock of Vacant Land (Sq. Meters)					
MB	4,650,000	4,650,088	0.002	4,650,149	0.003
GB	52,610,000	52,612,430	0.005	52,613,956	0.008
Employment by Workplace Location					
MB	198,839	198,728	-0.056	198,691	-0.075
GB	423,489	423,600	0.026	423,637	0.035
Population by Residence Location					
MB	445,184	445,216	0.007	445,224	0.009
GB	997,422	997,390	-0.003	997,382	-0.004
Private Vehicle Trips by (i,j)					
MB-MB	133,112	132,979	-0.100	132,897	-0.161
MB-GB	174,556	174,299	-0.147	174,158	-0.228
GB-MB	244,518	243,982	-0.219	243,734	-0.321
GB-GB	427,187	426,589	-0.140	426,268	-0.215
Bus Trips by (i,j)					
MB-MB	3,562.04	3,633.75	2.013	3,641.10	2.219
MB-GB	4,669.58	4,762.88	1.998	4,773.19	2.219
GB-MB	7,801.83	7,952.02	1.925	7,968.75	2.139
GB-GB	10,626	10,861	2.210	10,887	2.462
Mini Bus Trips by (i,j)					
MB-MB	22,186	22,245	0.262	22,284	0.440
MB-GB	29,085	29,165	0.277	29,223	0.474
GB-MB	48,594	48,717	0.252	48,811	0.445
GB-GB	66,183	66,396	0.323	66,548	0.551
Taxi Service Trips by (i,j)					
MB-MB	8,575.04	8,602.29	0.318	8,620.42	0.529
MB-GB	10,586	10,618	0.310	10,642	0.533
GB-MB	14,045	14,080	0.250	14,108	0.449
GB-GB	24,937	25,028	0.363	25,091	0.618
Trips by mode (m)					
Private Vehicle	979,372	977,850	-0.155	977,057	-0.236
Bus	26,659	27,209	2.063	27,270	2.293
Mini Bus	166,048	166,523	0.286	166,865	0.492
Taxi Service	58,142.77	58,328	0.319	58,462	0.549
Travel Time by Private Vehicle for (i,j) (Minutes)					
MB-MB	42.10	42.63	1.255	42.98	2.092
MB-GB	53.00	53.66	1.239	54.10	2.066
GB-MB	57.00	57.78	1.363	58.27	2.222
GB-GB	46.40	46.97	1.221	47.35	2.040
Travel Time by Bus for (i,j) (Minutes)					

MB-MB	77.60	77.10	-0.643	77.61	0.016
MB-GB	98.30	97.89	-0.420	98.52	0.226
GB-MB	104.20	103.96	-0.228	104.67	0.454
GB-GB	88.80	88.26	-0.611	88.81	0.010
Travel Time by MiniBus for (i,j) (Minutes)					
MB-MB	63.10	63.76	1.046	64.20	1.744
MB-GB	81.70	82.52	1.004	83.07	1.674
GB-MB	86.80	87.77	1.120	88.38	1.825
GB-GB	73.50	74.21	0.963	74.68	1.610
Travel Time by Taxi Service for (i,j) (Minutes)					
MB-MB	58.33	58.91	0.996	59.30	1.661
MB-GB	72.33	73.05	0.999	73.53	1.666
GB-MB	76.73	77.58	1.114	78.12	1.816
GB-GB	65.13	65.75	0.958	66.17	1.601
Monetary Travel Cost by Private Vehicle for (i,j) (LBP)					
MB-MB	1,701.39	1,711.48	0.593	1,718.13	0.984
MB-GB	2,527.46	2,546.09	0.737	2,558.43	1.225
GB-MB	2,674.59	2,695.83	0.794	2,709.08	1.289
GB-GB	2,119.76	2,134.32	0.687	2,143.99	1.143
Monetary Travel Cost by Bus for (i,j) (LBP)					
MB-MB	1,000	1,000	0.000	1,000	0.000
MB-GB	1,000	1,000	0.000	1,000	0.000
GB-MB	1,000	1,000	0.000	1,000	0.000
GB-GB	1,000	1,000	0.000	1,000	0.000
Monetary Travel Cost by MiniBus for (i,j) (LBP)					
MB-MB	1,000	1,000	0.000	1,000	0.000
MB-GB	1,000	1,000	0.000	1,000	0.000
GB-MB	1,000	1,000	0.000	1,000	0.000
GB-GB	1,000	1,000	0.000	1,000	0.000
Monetary Travel Cost by Taxi Service for (i,j) (LBP)					
MB-MB	2,000	2,000	0.000	2,000	0.000
MB-GB	4,000	4,000	0.000	4,000	0.000
GB-MB	4,000	4,000	0.000	4,000	0.000
GB-GB	4,000	4,000	0.000	4,000	0.000
PHIijm for BUS					
MB-MB	0.09	0.17	87.889	0.17	87.586
MB-GB	0.09	0.18	98.868	0.18	98.525
GB-MB	0.09	0.18	98.982	0.18	98.648
GB-GB	0.09	0.18	98.538	0.18	98.147
Waiting Time for Bus by (i,j) (Minutes)					
MB-MB	6.50	5.23	-19.476	5.23	-19.476
MB-GB	6.50	5.14	-20.991	5.14	-20.991
GB-MB	6.50	5.14	-20.991	5.14	-20.991
GB-GB	6.50	5.14	-20.991	5.14	-20.991
Traffic Load by (i,j)					
MB-MB	95,097	95,650	0.582	95,635	0.565
MB-GB	123,921	124,688	0.619	124,649	0.588
GB-MB	175,003	176,194	0.681	176,108	0.632

GB-GB	300,627	302,394	0.588	302,323	0.564
Weighted Rent by Location (LBP/ Sq. Meter)					
MB	382,538	382,465	-0.019	382,416	-0.032
GB	127,137	127,104	-0.025	127,083	-0.042
Weighted Value of Stocks by Location (LBP/ Sq. Meter)					
MB	9,651,538	9,650,819	-0.007	9,650,339	-0.012
GB	3,217,708	3,217,316	-0.012	3,217,059	-0.020
Construction of Residential Floor Space (Sq. Meters)					
MB	15,080	15,080	0.003	15,080	0.004
GB	218,712	218,717	0.002	218,721	0.004
Construction of Commercial Floor Space (Sq. Meters)					
MB	112,692	112,685	-0.006	112,681	-0.011
GB	1,324,943	1,324,731	-0.016	1,324,586	-0.027
Aggregate rent in the Region (MB & GB) (LBP)	22,497,353,364,096	22,490,960,182,319	-0.028	22,486,748,829,329	-0.047
Aggregate value in the Region (MB & GB) (LBP)	381,123,093,725,158	381,049,377,069,417	-0.019	381,000,537,011,336	-0.032
Aggregate Daily Non-work Person Trips	607,895	607,582	-0.051	607,326	-0.094
Aggregate Daily Vehicle Miles Travelled (Kilometers)	13,366,017	13,401,835	0.268	13,395,584	0.221
Aggregate Daily Gasoline Consumption (Liters)	1,620,915	1,643,303	1.381	1,650,228	1.808
Gross Nominal Regional Product(LBP)	19,412,277,163,440	19,407,987,283,461	-0.022	19,405,181,567,267	-0.037
Gross Real Regional Product	1,941,227,716,344	1,940,798,728,346	-0.022	1,940,518,156,727	-0.037
Inclusive Value					
IV of worker	9.18	9.17	-0.104	9.16	-0.173
IV of non-worker	10.53	10.53	-0.002	10.53	-0.003
Different Sources of Tax Revenue (LBP)					
Gas Tax Revenue	244,911,661	246,427,103	0.619	247,462,824	1.042
Public Transit Revenue	192,707,342	193,732,208	0.532	194,135,243	0.741



Parking Tax Revenue	468,083,192	467,335,484	-0.160	466,959,861	-0.240
Cost of New Bus under Case 1		5,306,776,450		5,306,776,450	
Compensating Variation (LBP)					
CV for Worker		-110,527		-184,801	
CV for Non-worker		-678.92		-1,120.84	
CV		-48,067		-80,359	
Social Welfare change per person by Region (LBP)					
SW for Bus Supply in Case 1		-54,299		-88,283	

TABLE A3: Increase in bus supply for Case 2

CASE 2	$c_2 = 2$			$c_2 = 3.5$	
	BASE RESULTS	SIMULATED RESULT	CHANGES	SIMULATED RESULT	CHANGES
Price of Output (LBP)					
MB	10.00	10.00	0.000	10.00	0.000
GB	10.00	10.00	0.000	10.00	0.000
Hourly Wage (LBP/hr)					
MB	4,363.20	4,363.56	0.008	4,363.23	0.001
GB	3,452.04	3,450.80	-0.036	3,450.21	-0.053
Annual Residential Rent (LBP/ Sq. Meter)					
MB	175,800	175,783	-0.010	175,762	-0.022
GB	83,550	83,523	-0.033	83,508	-0.051
Annual Commercial Rent (LBP/ Sq. Meter)					
MB	426,750	426,634	-0.027	426,560	-0.045
GB	227,400	227,357	-0.019	227,328	-0.032
Annual Vacant Land Rent (LBP/ Sq. Meter)					
MB	503,640	503,626	-0.003	503,617	-0.005
GB	73,350	73,345	-0.007	73,341	-0.012
Annual Value of Residential Stock (LBP/ Sq. Meter)					
MB	5,860,000	5,859,815	-0.003	5,859,592	-0.007
GB	2,785,000	2,784,724	-0.010	2,784,572	-0.015
Annual Value of Commercial Stock (LBP/ Sq. Meter)					
MB	8,535,000	8,533,855	-0.013	8,533,130	-0.022
GB	4,548,000	4,547,636	-0.008	4,547,392	-0.013
Annual Value of Vacant Land (LBP/ Sq. Meter)					
MB	16,788,000	16,787,528	-0.003	16,787,224	-0.005
GB	2,445,000	2,444,828	-0.007	2,444,715	-0.012
Stock of Residential Floor Space (Sq. Meters)					
MB	5,259,997	5,260,140	0.003	5,260,223	0.004
GB	21,342,698	21,342,884	0.001	21,343,160	0.002
Stock of Commercial Floor Space (Sq. Meters)					
MB	11,859,052	11,858,148	-0.008	11,857,588	-0.012
GB	37,501,072	37,491,129	-0.027	37,484,361	-0.045
Stock of Vacant Land (Sq. Meters)					
MB	4,650,000	4,650,088	0.002	4,650,149	0.003
GB	52,610,000	52,612,430	0.005	52,613,956	0.008
Employment by Workplace Location					
MB	198,839	198,728	-0.056	198,691	-0.075
GB	423,489	423,600	0.026	423,637	0.035
Population by Residence Location					
MB	445,184	445,216	0.007	445,224	0.009
GB	997,422	997,390	-0.003	997,382	-0.004
Private Vehicle Trips by (i,j)					
MB-MB	133,112	132,979	-0.100	132,897	-0.161
MB-GB	174,556	174,299	-0.147	174,158	-0.228
GB-MB	244,518	243,982	-0.219	243,734	-0.321

GB-GB	427,187	426,589	-0.140	426,268	-0.215
Bus Trips by (i,j)					
MB-MB	3,562.04	3,633.75	2.013	3,641.10	2.219
MB-GB	4,669.58	4,762.88	1.998	4,773.19	2.219
GB-MB	7,801.83	7,952.02	1.925	7,968.75	2.139
GB-GB	10,626	10,861	2.210	10,887	2.462
Mini Bus Trips by (i,j)					
MB-MB	22,186	22,245	0.262	22,284	0.440
MB-GB	29,085	29,165	0.277	29,223	0.474
GB-MB	48,594	48,717	0.252	48,811	0.445
GB-GB	66,183	66,396	0.323	66,548	0.551
Taxi Service Trips by (i,j)					
MB-MB	8,575	8,602	0.318	8,620	0.529
MB-GB	10,586	10,618	0.310	10,642	0.533
GB-MB	14,045	14,080	0.250	14,108	0.449
GB-GB	24,937	25,028	0.363	25,091	0.618
Trips by mode (m)					
Private Vehicle	979,372	977,850	-0.155	977,057	-0.236
Bus	26,659	27,209	2.063	27,270	2.293
Mini Bus	166,048	166,523	0.286	166,865	0.492
Taxi Service	58,143	58,328	0.319	58,462	0.549
Travel Time by Private Vehicle for (i,j) (Minutes)					
MB-MB	42.10	42.63	1.255	42.98	2.092
MB-GB	53.00	53.66	1.239	54.10	2.066
GB-MB	57.00	57.78	1.363	58.27	2.222
GB-GB	46.40	46.97	1.221	47.35	2.040
Travel Time by Bus for (i,j) (Minutes)					
MB-MB	77.60	77.10	-0.643	77.61	0.016
MB-GB	98.30	97.89	-0.420	98.52	0.226
GB-MB	104.20	103.96	-0.228	104.67	0.454
GB-GB	88.80	88.26	-0.611	88.81	0.010
Travel Time by MiniBus for (i,j) (Minutes)					
MB-MB	63.10	63.76	1.046	64.20	1.744
MB-GB	81.70	82.52	1.004	83.07	1.674
GB-MB	86.80	87.77	1.120	88.38	1.825
GB-GB	73.50	74.21	0.963	74.68	1.610
Travel Time by Taxi Service for (i,j) (Minutes)					
MB-MB	58.33	58.91	0.996	59.30	1.661
MB-GB	72.33	73.05	0.999	73.53	1.666
GB-MB	76.73	77.58	1.114	78.12	1.816
GB-GB	65.13	65.75	0.958	66.17	1.601
Monetary Travel Cost by Private Vehicle for (i,j) (LBP)					
MB-MB	1,701.39	1,711.48	0.593	1,718.13	0.984
MB-GB	2,527.46	2,546.09	0.737	2,558.43	1.225
GB-MB	2,674.59	2,695.83	0.794	2,709.08	1.289
GB-GB	2,119.76	2,134.32	0.687	2,143.99	1.143
Monetary Travel Cost by Bus for (i,j) (LBP)					

MB-MB	1,000	1,000	0.000	1,000	0.000
MB-GB	1,000	1,000	0.000	1,000	0.000
GB-MB	1,000	1,000	0.000	1,000	0.000
GB-GB	1,000	1,000	0.000	1,000	0.000
Monetary Travel Cost by MiniBus for (i,j) (LBP)					
MB-MB	1,000	1,000	0.000	1,000	0.000
MB-GB	1,000	1,000	0.000	1,000	0.000
GB-MB	1,000	1,000	0.000	1,000	0.000
GB-GB	1,000	1,000	0.000	1,000	0.000
Monetary Travel Cost by Taxi Service for (i,j) (LBP)					
MB-MB	2,000	2,000	0.000	2,000	0.000
MB-GB	4,000	4,000	0.000	4,000	0.000
GB-MB	4,000	4,000	0.000	4,000	0.000
GB-GB	4,000	4,000	0.000	4,000	0.000
PHIijm for BUS					
MB-MB	0.09	0.17	87.889	0.17	87.586
MB-GB	0.09	0.18	98.868	0.18	98.525
GB-MB	0.09	0.18	98.982	0.18	98.648
GB-GB	0.09	0.18	98.538	0.18	98.147
Waiting Time for Bus by (i,j) (Minutes)					
MB-MB	6.50	5.23	-19.476	5.23	-19.476
MB-GB	6.50	5.14	-20.991	5.14	-20.991
GB-MB	6.50	5.14	-20.991	5.14	-20.991
GB-GB	6.50	5.14	-20.991	5.14	-20.991
Traffic Load by (i,j)					
MB-MB	95,097	95,650	0.582	95,635	0.565
MB-GB	123,921	124,688	0.619	124,649	0.588
GB-MB	175,003	176,194	0.681	176,108	0.632
GB-GB	300,627	302,394	0.588	302,323	0.564
Weighted Rent by Location (LBP/ Sq. Meter)					
MB	382,538	382,465	-0.019	382,416	-0.032
GB	127,137	127,104	-0.025	127,083	-0.042
Weighted Value of Stocks by Location (LBP/ Sq. Meter)					
MB	9,651,538	9,650,819	-0.007	9,650,339	-0.012
GB	3,217,708	3,217,316	-0.012	3,217,059	-0.020
Construction of Residential Floor Space (Sq. Meters)					
MB	15,080	15,080	0.003	15,080	0.004
GB	218,712	218,717	0.002	218,721	0.004
Construction of Commercial Floor Space (Sq. Meters)					
MB	112,692	112,685	-0.006	112,681	-0.011
GB	1,324,943	1,324,731	-0.016	1,324,586	-0.027
Aggregate rent in the Region (MB & GB) (LBP)	22,497,353,364,096	22,490,960,182,319	-0.028	22,486,748,829,329	-0.047
Aggregate value in the	381,123,093,725,158	381,049,377,069,417	-0.019	381,000,537,011,336	-0.032

Region (MB & GB) (LBP)					
Aggregate Daily Non-work Person Trips	607,895	607,582	-0.051	607,326	-0.094
Aggregate Daily Vehicle Miles Travelled (Kilometers)	13,366,017	13,401,835	0.268	13,395,584	0.221
Aggregate Daily Gasoline Consumption (Liters)	1,620,915	1,643,303	1.381	1,650,228	1.808
Gross Nominal Regional Product(LBP)	19,412,277,163,440	19,407,987,283,461	-0.022	19,405,181,567,267	-0.037
Gross Real Regional Product	1,941,227,716,344.00	1,940,798,728,346.09	-0.022	1,940,518,156,726.73	-0.037
Inclusive Value					
IV of worker	9.18	9.17	-0.104	9.16	-0.173
IV of non-worker	10.53	10.53	-0.002	10.53	-0.003
Different Sources of Tax Revenue (LBP)					
Gas Tax Revenue	244,911,661	246,427,103	0.619	247,462,824	1.042
Public Transit Revenue	192,707,342	193,732,208	0.532	194,135,243	0.741
Parking Tax Revenue	468,083,192	467,335,484	-0.160	466,959,861	-0.240
Cost of New Bus under Case 2		3,595,927,707		3,595,927,707	
Compensating Variation (LBP)					
CV for Worker		-110,527		-184,801	
CV for Non-worker		-678.92		-1,120.84	
CV		-48,067		-80,359	
Social Welfare change per person by Region (LBP)					
SW for Bus Supply in Case 2		-53,113		-87,098	

TABLE A4: Increase in the excise tax on gasoline

Variables	BASE RESULTS	$c_2 = 2$		$c_2 = 3.5$	
		SIMULATED RESULT	CHANGES	SIMULATED RESULT	CHANGES
Price of Output (LBP)					
MB	10.00	9.91	-0.867	9.92	-0.824
GB	10.00	9.95	-0.495	9.95	-0.478
Hourly Wage (LBP/hr)					
MB	4,363.20	4,318.86	-1.016	4,321.93	-0.946
GB	3,452.04	3,417.20	-1.009	3,418.14	-0.982
Annual Residential Rent (LBP/ Sq. Meter)					
MB	175,800	174,055	-0.992	174,096	-0.969
GB	83,550	82,707	-1.009	82,7478	-0.960
Annual Commercial Rent (LBP/ Sq. Meter)					
MB	426,750	423,315	-0.805	423,457	-0.772
GB	227,400	226,768	-0.278	226,794	-0.266
Annual Vacant Land Rent (LBP/ Sq. Meter)					
MB	503,640	502,224	-0.281	502,281	-0.270
GB	73,350	73,067	-0.385	73,079	-0.369
Annual Value of Residential Stock (LBP/ Sq. Meter)					
MB	5,860,000	5,825,348	-0.591	5,826,200	-0.577
GB	2,785,000	2,768,826	-0.581	2,769,599	-0.553
Annual Value of Commercial Stock (LBP/ Sq. Meter)					
MB	8,535,000	8,468,724	-0.777	8,471,428	-0.745
GB	4,548,000	4,537,304	-0.235	4,537,748	-0.225
Annual Value of Vacant Land (LBP/ Sq. Meter)					
MB	16,788,000	16,740,813	-0.281	16,742,693	-0.270
GB	2,445,000	2,435,576	-0.385	2,435,982	-0.369
Stock of Residential Floor Space (Sq. Meters)					
MB	5,259,997	5,267,482	0.142	5,267,139	0.136
GB	21,342,698	21,323,573	-0.090	21,324,820	-0.084
Stock of Commercial Floor Space (Sq. Meters)					
MB	11,859,052	11,811,646	-0.400	11,813,648	-0.383
GB	37,501,072	37,257,345	-0.650	37,267,072	-0.624
Stock of Vacant Land (Sq. Meters)					
MB	4,650,000	4,654,666	0.100	4,654,499	0.097
GB	52,610,000	52,689,669	0.151	52,686,078	0.145
Employment by Workplace Location					
MB	198,839	198,495	-0.173	198,456	-0.192
GB	423,489	423,834	0.081	423,872	0.090
Population by Residence Location					
MB	445,184	445,420	0.053	445,379	0.044
GB	997,422	997,186	-0.024	997,227	-0.020
Private Vehicle Trips by (i,j)					
MB-MB	133,112	132,055	-0.794	132,063	-0.788

MB-GB	174,556	172,495	-1.181	172,666	-1.083
GB-MB	244,518	241,648	-1.174	241,876	-1.081
GB-GB	427,187	421,981	-1.219	422,486	-1.100
Bus Trips by (i,j)					
MB-MB	3,562.04	3,628.07	1.854	3,617.18	1.548
MB-GB	4,669.58	4,743.92	1.592	4,731.16	1.319
GB-MB	7,801.83	7,948.23	1.876	7,925.53	1.585
GB-GB	10,625.67	10,791.29	1.559	10,760.14	1.266
Mini Bus Trips by (i,j)					
MB-MB	22,186	22,609	1.906	22,550	1.638
MB-GB	29,085	29,563	1.643	29,493	1.403
GB-MB	48,595	49,529	1.924	49,403	1.665
GB-GB	66,183	67,251	1.614	67,080	1.356
Taxi Service Trips by (i,j)					
MB-MB	8,575.04	8,718.62	1.674	8,692.71	1.372
MB-GB	10,586	10,760	1.644	10,731	1.376
GB-MB	14,045	14,270	1.601	14,235	1.350
GB-GB	24,937	25,326	1.558	25,254	1.272
Trips by mode (m)					
Private Vehicle	979,372	968,179	-1.143	969,090	-1.050
Bus	26,659	27,112	1.697	27,034	1.406
Mini Bus	166,048	168,952	1.749	168,526	1.492
Taxi Service	58,143	59,074	1.601	58,913	1.324
Travel Time by Private Vehicle for (i,j) (Minutes)					
MB-MB	42.10	41.64	-1.102	41.30	-1.907
MB-GB	53.00	52.26	-1.403	51.78	-2.311
GB-MB	57.00	56.25	-1.324	55.75	-2.191
GB-GB	46.40	45.72	-1.470	45.29	-2.392
Travel Time by Bus for (i,j) (Minutes)					
MB-MB	77.60	76.93	-0.868	76.43	-1.502
MB-GB	98.30	97.22	-1.096	96.53	-1.805
GB-MB	104.20	103.11	-1.050	102.39	-1.739
GB-GB	88.80	87.81	-1.114	87.19	-1.813
Travel Time by MiniBus for (i,j) (Minutes)					
MB-MB	63.10	62.52	-0.919	62.10	-1.590
MB-GB	81.70	80.77	-1.137	80.17	-1.872
GB-MB	86.80	85.86	-1.087	85.24	-1.800
GB-GB	73.50	72.65	-1.160	72.11	-1.887
Travel Time by Taxi Service for (i,j) (Minutes)					
MB-MB	58.33	57.82	-0.875	57.45	-1.514
MB-GB	72.33	71.51	-1.131	70.98	-1.863
GB-MB	76.73	75.90	-1.082	75.36	-1.791
GB-GB	65.13	64.38	-1.153	63.91	-1.877
Monetary Travel Cost by Private Vehicle for (i,j) (LBP)					
MB-MB	1,701.39	1,950.20	14.624	1,942.53	14.173
MB-GB	2,527.46	2,887.87	14.260	2,871.78	13.623
GB-MB	2,674.59	3,057.95	14.333	3,042.00	13.737

GB-GB	2,119.76	2,422.19	14.267	2,409.18	13.654
PHIijm for BUS					
MB-MB	0.09	0.09	-1.459	0.09	-1.221
MB-GB	0.09	0.09	-1.256	0.09	-1.043
GB-MB	0.09	0.09	-1.476	0.09	-1.251
GB-GB	0.09	0.09	-1.230	0.09	-1.001
Waiting Time for Bus by (i,j) (Minutes)					
MB-MB	6.50	6.50	0.000	6.50	0.000
MB-GB	6.50	6.50	0.000	6.50	0.000
GB-MB	6.50	6.50	0.000	6.50	0.000
GB-GB	6.50	6.50	0.000	6.50	0.000
Traffic Load by (i,j)					
MB-MB	95,097	94,762	-0.352	94,720	-0.397
MB-GB	123,921	123,046	-0.705	123,094	-0.667
GB-MB	175,003	173,838	-0.665	173,896	-0.632
GB-GB	300,627	298,320	-0.767	298,485	-0.712
Weighted Rent by Location (LBP/ Sq. Meter)					
MB	382,538	379,804	-0.715	379,909	-0.687
GB	127,137	126,379	-0.596	126,411	-0.571
Weighted Value of Stocks by Location (LBP/ Sq. Meter)					
MB	9,651,538	9,599,676	-0.537	9,601,655	-0.517
GB	3,217,708	3,203,172	-0.452	3,203,798	-0.432
Construction of Residential Floor Space (Sq. Meters)					
MB	15,080	15,100	0.138	15,099	0.132
GB	218,712	218,696	-0.007	218,700	-0.006
Construction of Commercial Floor Space (Sq. Meters)					
MB	112,692	112,308	-0.341	112,324	-0.327
GB	1,324,943	1,319,918	-0.379	1,320,116	-0.364
Aggregate rent in the Region (MB & GB) (LBP)	22,497,353,364,096	22,316,846,607,260	-0.802	22,324,226,672,995	-0.770
Aggregate value in the Region (MB & GB) (LBP)	381,123,093,725,158	378,735,702,091,739	-0.626	378,836,336,729,149	-0.600
Aggregate Daily Non-work Person Trips	607,895	600,989	-1.136	601,235	-1.095
Aggregate Daily Vehicle Miles Travelled (Kilometers)	13,366,017	13,256,140	-0.822	13,263,235	-0.769
Aggregate Daily Gasoline Consumption	1,620,915	1,597,223	-1.462	1,589,624	-1.930

(Liters)					
Gross Nominal Regional Product(LBP)	19,412,277,163,440	19,213,170,153,500	-1.026	19,221,260,599,976	-0.984
Gross Real Regional Product	1,941,227,716,344	1,933,565,558,741	-0.395	1,933,869,589,083	-0.379
Inclusive Value					
IV of worker	9.18	9.18	-0.025	9.18	0.053
IV of non-worker	10.53	10.54	0.014	10.54	0.014
Different Sources of Tax Revenue (LBP)					
Gas Tax Revenue	244,911,661	278,217,557	13.599	276,895,716	13.059
Public Transit Revenue	192,707,342	196,063,838	1.742	195,560,167	1.480
Parking Tax Revenue	468,083,192	463,304,671	-1.021	463,682,930	-0.940
Compensating Variation (LBP)					
CV for Worker		-25,789		55,000	
CV for Non-worker		4,669.94		4,454.85	
CV		-8,469.28		26,260	
Social Welfare change per person by Region (LBP)					
SW for Fuel Tax Increase(Excise Tax)		-91,193		-52,977	

TABLE A5: 10% increase in the parking cost (parking tax rate) at different values of c_2

10% increase		$c_2 = 2$		$c_2 = 3.5$	
Variables	BASE RESULTS	10% increase	CHANGES	10% increase	CHANGES
Price of Output (LBP)					
MB	10.00	9.98	-0.210	9.98	-0.211
GB	10.00	9.99	-0.077	9.99	-0.069
Hourly Wage (LBP/hr)					
MB	4,363.20	4,352.88	-0.237	4,352.26	-0.251
GB	3,452.04	3,445.66	-0.185	3,446.30	-0.166
Annual Residential Rent (LBP/ Sq. Meter)					
MB	175,800	175,394	-0.231	175,409	-0.222
GB	83,550	83,376	-0.208	83,383	-0.200
Annual Commercial Rent (LBP/ Sq. Meter)					
MB	426,750	425,782	-0.227	425,806	-0.221
GB	227,400	227,275	-0.055	227,281	-0.052
Annual Vacant Land Rent (LBP/ Sq. Meter)					
MB	503,640	503,383	-0.051	503,390	-0.050
GB	73,350	73,313	-0.050	73,315	-0.048
Annual Value of Residential Stock (LBP/ Sq. Meter)					
MB	5,860,000	5,853,516	-0.111	5,853,798	-0.106
GB	2,785,000	2,782,350	-0.095	2,782,446	-0.092
Annual Value of Commercial Stock (LBP/ Sq. Meter)					
MB	8,535,000	8,519,355	-0.183	8,519,770	-0.178
GB	4,548,000	4,546,205	-0.039	4,546,295	-0.037
Annual Value of Vacant Land (LBP/ Sq. Meter)					
MB	16,788,000	16,779,426	-0.051	16,779,670	-0.050
GB	2,445,000	2,443,776	-0.050	2,443,836	-0.048
Stock of Residential Floor Space (Sq. Meters)					
MB	5,259,997	5,261,769	0.034	5,261,729	0.033
GB	21,342,698	21,338,552	-0.019	21,338,586	-0.019
Stock of Commercial Floor Space (Sq. Meters)					
MB	11,859,052	11,847,389	-0.098	11,847,683	-0.096
GB	37,501,072	37,457,703	-0.116	37,459,981	-0.110
Stock of Vacant Land (Sq. Meters)					
MB	4,650,000	4,651,224	0.026	4,651,188	0.026
GB	52,610,000	52,624,808	0.028	52,624,186	0.027
Employment by Workplace Location					
MB	198,839	198,635	-0.103	198,651	-0.095
GB	423,489	423,693	0.048	423,677	0.044
Population by Residence Location					
MB	445,184	445,136	-0.011	445,131	-0.012
GB	997,422	997,470	0.005	997,475	0.005
Private Vehicle Trips by (i,j)					

MB-MB	133,112	132,587	-0.394	132,628	-0.364
MB-GB	174,556	174,196	-0.206	174,210	-0.198
GB-MB	244,518	243,750	-0.314	243,816	-0.287
GB-GB	427,187	426,255	-0.218	426,321	-0.203
Bus Trips by (i,j)					
MB-MB	3,562.04	3,579.97	0.503	3,578	0.459
MB-GB	4,669.58	4,685.11	0.333	4,682	0.268
GB-MB	7,801.83	7,839.06	0.477	7,834.89	0.424
GB-GB	10,626	10,661	0.331	10,654	0.265
Mini Bus Trips by (i,j)					
MB-MB	22,186	22,301	0.518	22,294	0.483
MB-GB	29,085	29,184	0.342	29,168	0.285
GB-MB	48,594	48,831	0.488	48,809	0.442
GB-GB	66,183	66,409	0.342	66,370	0.283
Taxi Service Trips by (i,j)					
MB-MB	8,575.04	8,616	0.479	8,612.47	0.437
MB-GB	10,586	10,622	0.347	10,616	0.286
GB-MB	14,045	14,103	0.417	14,096	0.362
GB-GB	24,937	25,023	0.347	25,009	0.289
Trips by mode (m)					
Private Vehicle	979,372	976,788	-0.264	976,974	-0.245
Bus	26,659	26,765	0.397	26,749	0.338
Mini Bus	166,048	166,726	0.408	166,640	0.357
Taxi Service	58,143	58,366	0.383	58,333	0.328
Travel Time by Private Vehicle for (i,j) (Minutes)					
MB-MB	42.10	41.94	-0.373	41.84	-0.613
MB-GB	53.00	52.88	-0.227	52.78	-0.408
GB-MB	57.00	56.79	-0.362	56.67	-0.585
GB-GB	46.40	46.27	-0.271	46.19	-0.458
Travel Time by Bus for (i,j) (Minutes)					
MB-MB	77.60	77.37	-0.294	77.23	-0.483
MB-GB	98.30	98.13	-0.177	97.99	-0.319
GB-MB	104.20	103.90	-0.287	103.72	-0.465
GB-GB	88.80	88.62	-0.206	88.49	-0.347
Travel Time by MiniBus for (i,j) (Minutes)					
MB-MB	63.10	62.90	-0.311	62.78	-0.511
MB-GB	81.70	81.55	-0.184	81.43	-0.330
GB-MB	86.80	86.54	-0.297	86.38	-0.481
GB-GB	73.50	73.34	-0.214	73.23	-0.362
Travel Time by Taxi Service for (i,j) (Minutes)					
MB-MB	58.33	58.16	-0.296	58.05	-0.487
MB-GB	72.33	72.20	-0.183	72.09	-0.329
GB-MB	76.73	76.50	-0.296	76.36	-0.478
GB-GB	65.13	64.99	-0.213	64.90	-0.360
Monetary Travel Cost by Private Vehicle for (i,j) (LBP)					
MB-MB	1,701.39	1,698.36	-0.178	1,696.40	-0.293

MB-GB	2,527.46	2,524.02	-0.136	2,521.28	-0.244
GB-MB	2,674.59	2,668.91	-0.213	2,665.38	-0.344
GB-GB	2,119.76	2,116.49	-0.154	2,114.24	-0.260
PHIijm for BUS					
MB-MB	0.09	0.09	-0.401	0.09	-0.366
MB-GB	0.09	0.09	-0.265	0.09	-0.214
GB-MB	0.09	0.09	-0.380	0.09	-0.338
GB-GB	0.09	0.09	-0.264	0.09	-0.212
Traffic Load by (i,j)					
MB-MB	95,097	94,869	-0.240	94,886	-0.222
MB-GB	123,921	123,780	-0.114	123,776	-0.117
GB-MB	175,003	174,685	-0.181	174,709	-0.168
GB-GB	300,627	300,244	-0.127	300,255	-0.124
Weighted Rent by Location (LBP/ Sq. Meter)					
MB	382,538	381,824	-0.187	381,843	-0.182
GB	127,137	127,000	-0.108	127,006	-0.103
Weighted Value of Stocks by Location (LBP/ Sq. Meter)					
MB	9,651,538	9,640,310	-0.116	9,640,636	-0.113
GB	3,217,708	3,215,415	-0.071	3,215,523	-0.068
Construction of Residential Floor Space (Sq. Meters)					
MB	15,080	15,085	0.033	15,084	0.032
GB	218,712	218,705	-0.003	218,704	-0.003
Construction of Commercial Floor Space (Sq. Meters)					
MB	112,692	112,598	-0.084	112,600	-0.082
GB	1,324,943	1,324,056	-0.067	1,324,104	-0.063
Aggregate rent in the Region (MB & GB) (LBP)	22,497,353,364,096	22,459,072,488,221	-0.170	22,460,475,931,621	-0.164
Aggregate value in the Region (MB & GB) (LBP)	381,123,093,725,158	380,724,046,954,470	-0.105	380,742,954,360,686	-0.100
Aggregate Daily Non-work Person Trips	607,895	606,317	-0.260	606,369	-0.251
Aggregate Daily Vehicle Miles Travelled (Kilometers)	13,366,017	13,341,674	-0.182	13,343,002	-0.172
Aggregate Daily Gasoline Consumption (Liters)	1,620,915	1,615,710	-0.321	1,613,993	-0.427

Gross Nominal Regional Product(LBP)	19,412,277,163,440	19,371,640,021,402	-0.209	19,373,209,527,108	-0.201
Gross Real Regional Product	1,941,227,716,344	1,939,614,280,578	-0.083	1,939,684,920,628	-0.079
Inclusive Value					
IV of worker	9.18	9.18	-0.007	9.18	0.010
IV of non-worker	10.53	10.54	0.003	10.54	0.003
Different Sources of Tax Revenue (LBP)					
Gas Tax Revenue	244,911,661	244,147,981	-0.312	243,888,769	-0.418
Public Transit Revenue	192,707,342	193,491,230	0.407	193,389,648	0.354
Parking Tax Revenue	468,083,192	513,521,977	9.707	513,630,552	9.731
Compensating Variation (LBP)					
CV for Worker		-7,162.67		10,745	
CV for Non-worker		1,018.17		1,027.19	
CV		-2,510.97		5,219.20	
Social Welfare change per person by Region (LBP)					
SW for Parking Tax Increase (Tax Rate)		-16,310		-7,924.91	

TABLE A6: 15% increase in the parking cost (parking tax rate) at different value of c_2

15% increase		$c_2 = 2$		$c_2 = 3.5$	
Variables	BASE RESULTS	15% increase	CHANGES	15% increase	CHANGES
Price of Output (LBP)					
MB	10.00	9.97	-0.344	9.97	-0.345
GB	10.00	9.99	-0.141	9.99	-0.130
Hourly Wage (LBP/hr)					
MB	4,363.20	4,347.29	-0.365	4,346.72	-0.378
GB	3,452.04	3,441.11	-0.316	3,441.94	-0.293
Annual Residential Rent (LBP/ Sq. Meter)					
MB	175,800	175,126	-0.383	175,146	-0.372
GB	83,550	83,269	-0.336	83,279	-0.325
Annual Commercial Rent (LBP/ Sq. Meter)					
MB	426,750	425,288	-0.343	425,320	-0.335
GB	227,400	227,208	-0.085	227,215	-0.081
Annual Vacant Land Rent (LBP/ Sq. Meter)					
MB	503,640	503,160	-0.095	503,173	-0.093
GB	73,350	73,281	-0.093	73,285	-0.089
Annual Value of Residential Stock (LBP/ Sq. Meter)					
MB	5,860,000	5,847,995	-0.205	5,848,414	-0.198
GB	2,785,000	2,780,200	-0.172	2,780,371	-0.166
Annual Value of Commercial Stock (LBP/ Sq. Meter)					
MB	8,535,000	8,508,828	-0.307	8,509,459	-0.299
GB	4,548,000	4,545,001	-0.066	4,545,135	-0.063

Annual Value of Vacant Land (LBP/ Sq. Meter)					
MB	16,788,000	16,772,003	-0.095	16,772,420	-0.093
GB	2,445,000	2,442,715	-0.093	2,442,818	-0.089
Stock of Residential Floor Space (Sq. Meters)					
MB	5,259,997	5,262,954	0.056	5,262,890	0.055
GB	21,342,698	21,334,773	-0.037	21,334,912	-0.036
Stock of Commercial Floor Space (Sq. Meters)					
MB	11,859,051	11,839,850	-0.162	11,840,294	-0.158
GB	37,501,072	37,431,066	-0.187	37,434,280	-0.178
Stock of Vacant Land (Sq. Meters)					
MB	4,650,000	4,651,971.74	0.042	4,651,920.79	0.041
GB	52,610,000	52,634,949.57	0.047	52,633,995.30	0.046
Employment by Workplace Location					
MB	198,839	198,556	-0.142	198,582	-0.129
GB	423,489	423,772	0.067	423,746	0.061
Population by Residence Location					
MB	445,184	445,129	-0.012	445,123	-0.014
GB	997,422	997,477	0.006	997,483	0.006
Private Vehicle Trips by (i,j)					
MB-MB	133,112	132,346	-0.575	132,405	-0.531
MB-GB	174,556	174,020	-0.307	174,040	-0.295
GB-MB	244,518	243,386	-0.463	243,483	-0.423
GB-GB	427,187	425,779	-0.329	425,879	-0.306
Bus Trips by (i,j)					
MB-MB	3,562.04	3,589.76	0.778	3,587.45	0.713
MB-GB	4,669.58	4,693.27	0.507	4,688.82	0.412
GB-MB	7,801.83	7,858.91	0.732	7,852.79	0.653
GB-GB	10,626	10,679	0.498	10,668	0.401
Mini Bus Trips by (i,j)					
MB-MB	22,186	22,364	0.799	22,352	0.748
MB-GB	29,085	29,237	0.522	29,212	0.437
GB-MB	48,594	48,958	0.748	48,924	0.680
GB-GB	66,183	66,523	0.514	66,466	0.427
Taxi Service Trips by (i,j)					
MB-MB	8,575.04	8,638	0.739	8,633	0.678
MB-GB	10,586	10,640	0.518	10,631	0.426
GB-MB	14,045	14,135	0.639	14,124	0.559
GB-GB	24,937	25,064	0.510	25,042	0.422
Trips by mode (m)					
Private Vehicle	979,372	975,531	-0.392	975,808	-0.364
Bus	26,659	26,821	0.606	26,797	0.518
Mini Bus	166,048	167,081	0.622	166,954	0.546
Taxi Service	58,143	58,478	0.576	58,430	0.494
Travel Time by Private Vehicle for (i,j) (Minutes)					
MB-MB	42.10	41.87	-0.539	41.73	-0.884
MB-GB	53.00	52.82	-0.336	52.68	-0.604
GB-MB	57.00	56.70	-0.524	56.52	-0.845

GB-GB	46.40	46.21	-0.407	46.08	-0.686
Travel Time by Bus for (i,j) (Minutes)					
MB-MB	77.60	77.27	-0.424	77.06	-0.696
MB-GB	98.30	98.04	-0.262	97.84	-0.472
GB-MB	104.20	103.77	-0.416	103.50	-0.671
GB-GB	88.80	88.53	-0.308	88.34	-0.520
Travel Time by MiniBus for (i,j) (Minutes)					
MB-MB	63.10	62.82	-0.449	62.63	-0.737
MB-GB	81.70	81.48	-0.272	81.30	-0.489
GB-MB	86.80	86.43	-0.430	86.20	-0.694
GB-GB	73.50	73.26	-0.321	73.10	-0.541
Travel Time by Taxi Service for (i,j) (Minutes)					
MB-MB	58.33	58.08	-0.427	57.92	-0.702
MB-GB	72.33	72.13	-0.271	71.98	-0.487
GB-MB	76.73	76.40	-0.428	76.20	-0.691
GB-GB	65.13	64.92	-0.319	64.78	-0.538
Monetary Travel Cost by Private Vehicle for (i,j)					
MB-MB	1,701.39	1,697.01	-0.257	1,694.18	-0.424
MB-GB	2,527.46	2,522.37	-0.201	2,518.30	-0.362
GB-MB	2,674.59	2,666.36	-0.308	2,661.28	-0.498
GB-GB	2,119.76	2,114.87	-0.231	2,111.49	-0.390
PHIjm for BUS					
MB-MB	0.09	0.09	-0.618	0.09	-0.567
MB-GB	0.09	0.09	-0.404	0.09	-0.328
GB-MB	0.09	0.09	-0.581	0.09	-0.519
GB-GB	0.09	0.09	-0.397	0.09	-0.319
Traffic Load by (i,j)					
MB-MB	95,097	94,771	-0.343	94,796	-0.317
MB-GB	123,921	123,711.97	-0.168	123,705.84	-0.173
GB-MB	175,003	174,542.84	-0.263	174,577.86	-0.243
GB-GB	300,627	300,043.64	-0.194	300,060.76	-0.188
Weighted Rent by Location (LBP/ Sq. Meter)					
MB	382,538	381,420	-0.292	381,447	-0.285
GB	127,137	126,914	-0.175	126,923	-0.168
Weighted Value of Stocks by Location (LBP/ Sq. Meter)					
MB	9,651,538	9,632,086	-0.202	9,632,591	-0.196
GB	3,217,708	3,213,724	-0.124	3,213,894	-0.119
Construction of Residential Floor Space (Sq. Meters)					
MB	15,080	15,088	0.055	15,088	0.054
GB	218,712	218,694	-0.008	218,693	-0.008
Construction of Commercial Floor Space (Sq. Meters)					
MB	112,692	112,537	-0.138	112,541	-0.135
GB	1,324,943	1,323,520	-0.107	1,323,587	-0.102
Aggregate rent in the Region (MB & GB) (LBP)	22,497,353,364,096	22,436,021,271,747	-0.273	22,438,050,366,409	-0.264

Aggregate value in the Region (MB & GB) (LBP)	381,123,093,725,158	380,447,372,601,201	-0.177	380,476,099,037,097	-0.170
Aggregate Daily Non-work Person Trips	607,895	605,582	-0.380	605,661	-0.367
Aggregate Daily Vehicle Miles Travelled (Kilometers)	13,366,017	13,329,973	-0.270	13,331,951	-0.255
Aggregate Daily Gasoline Consumption (Liters)	1,620,915	1,613,251	-0.473	1,610,730	-0.628
Gross Nominal Regional Product (LBP)	19,412,277,163,440	19,345,488,291,329	-0.344	19,347,820,222,946	-0.332
Gross Real Regional Product	1,941,227,716,344	1,938,745,203,265	-0.128	1,938,850,154,243	-0.122
Inclusive Value					
IV of worker	9.18	9.18	-0.011	9.18	0.014
IV of non-worker	10.53	10.54	0.007	10.54	0.007
Different Sources of Tax Revenue (LBP)					
Gas Tax Revenue	244,911,661	243,789,427	-0.458	243,409,146	-0.613
Public Transit Revenue	192,707,342	193,901,473	0.620	193,751,634	0.542
Parking Tax Revenue	468,083,192	536,177,039	14.547	536,345,100	14.583
Compensating Variation (LBP)					
CV for Worker		-11,139		15,212	
CV for Non-worker		2,326.50		2,334.66	
CV		-3,482.54		7,889.74	
Social Welfare change per person by Region (LBP)					
SW for Parking Tax Increase (Tax Rate)		-26,855		-14,488	



TABLE A7: 25% increase in the parking cost (parking tax) at different values of c_2

25% increase		$c_2 = 2$		$c_2 = 3.5$	
Variables	BASE RESULTS	25% increase	CHANGES	25% increase	CHANGES
Price of Output (LBP)					
MB	10.00	9.94	-0.581	9.94	-0.58
GB	10.00	9.97	-0.257	9.98	-0.24
Hourly Wage (LBP/hr)					
MB	4,363.20	4,336.33	-0.616	4,335.71	-0.63
GB	3,452.04	3,432.92	-0.554	3,434.14	-0.52
Annual Residential Rent (LBP/ Sq. Meter)					
MB	175,800	174,626	-0.668	174,658	-0.65
GB	83,550	83,068	-0.577	83,085	-0.56
Annual Commercial Rent (LBP/ Sq. Meter)					
MB	426,750	424,332	-0.567	424,388	-0.55
GB	227,400	227,079	-0.141	227,092	-0.14
Annual Vacant Land Rent (LBP/ Sq. Meter)					

MB	503,640	502,723	-0.182	502,746	-0.18
GB	73,350	73,218	-0.180	73,224	-0.17
Annual Value of Residential Stock (LBP/ Sq. Meter)					
MB	5,860,000	5,837,549	-0.383	5,838,229	-0.37
GB	2,785,000	2,776,171	-0.317	2,776,479	-0.31
Annual Value of Commercial Stock (LBP/ Sq. Meter)					
MB	8,535,000	8,489,311	-0.535	8,490,388	-0.52
GB	4,548,000	4,542,736	-0.116	4,542,955	-0.11
Annual Value of Vacant Land (LBP/ Sq. Meter)					
MB	16,788,000	16,757,427	-0.182	16,758,192	-0.18
GB	2,445,000	2,440,610	-0.180	2,440,796	-0.17
Stock of Residential Floor Space (Sq. Meters)					
MB	5,259,997	5,265,171	0.098	5,265,058	0.10
GB	21,342,698	21,328,126	-0.068	21,328,428	-0.07
Stock of Commercial Floor Space (Sq. Meters)					
MB	11,859,052	11,825,989	-0.279	11,826,746	-0.27
GB	37,501,072	37,381,629	-0.319	37,386,709	-0.30
Stock of Vacant Land (Sq. Meters)					
MB	4,650,000	4,653,304	0.071	4,653,223	0.07
GB	52,610,000	52,653,460	0.083	52,651,883	0.08
Employment by Workplace Location					
MB	198,839	198,402	-0.220	198,462	-0.19
GB	423,489	423,926	0.103	423,866	0.09
Population by Residence Location					
MB	445,184	445,109	-0.017	445,099	-0.02
GB	997,422	997,497	0.008	997,507	0.01
Private Vehicle Trips by (i,j)					
MB-MB	133,112	131,840	-0.955	131,937	-0.88
MB-GB	174,556	173,669	-0.508	173,702	-0.49
GB-MB	244,518	242,630	-0.772	242,795	-0.70
GB-GB	427,187	424,846	-0.548	425,013	-0.51
Bus Trips by (i,j)					
MB-MB	3,562.04	3,609	1.305	3,604.65	1.20
MB-GB	4,669.58	4,710	0.858	4,702.28	0.70
GB-MB	7,801.83	7,897	1.222	7,886.90	1.09
GB-GB	10,625.67	10,715	0.838	10,697	0.68
Mini Bus Trips by (i,j)					
MB-MB	22,186.43	22,484	1.340	22,465	1.25
MB-GB	29,084.82	29,341	0.882	29,301	0.74
GB-MB	48,594.26	49,201	1.249	49,146	1.13
GB-GB	66,182.72	66,755	0.864	66,659	0.72
Taxi Service Trips by (i,j)					
MB-MB	8,575.04	8,681.55	1.242	8,672.98	1.14
MB-GB	10,586	10,677	0.863	10,660	0.71
GB-MB	14,045	14,196	1.074	14,178	0.95
GB-GB	24,937	25,147	0.843	25,110	0.69
Trips by mode (m)					

Private Vehicle	979,372	972,985	-0.652	973,448	-0.60
Bus	26,659	26,930	1.016	26,891	0.87
Mini Bus	166,048	167,781	1.043	167,570	0.92
Taxi Service	58,143	58,702	0.961	58,622	0.82
Travel Time by Private Vehicle for (i,j) (Minutes)					
MB-MB	42.10	41.72	-0.891	41.49	-1.46
MB-GB	53.00	52.71	-0.551	52.47	-0.99
GB-MB	57.00	56.50	-0.870	56.20	-1.40
GB-GB	46.40	46.09	-0.674	45.87	-1.14
Travel Time by Bus for (i,j) (Minutes)					
MB-MB	77.60	77.06	-0.701	76.71	-1.15
MB-GB	98.30	97.88	-0.431	97.54	-0.78
GB-MB	104.20	103.48	-0.690	103.04	-1.11
GB-GB	88.80	88.35	-0.511	88.03	-0.86
Travel Time by MiniBus for (i,j) (Minutes)					
MB-MB	63.10	62.63	-0.743	62.33	-1.22
MB-GB	81.70	81.34	-0.447	81.04	-0.81
GB-MB	86.80	86.18	-0.714	85.80	-1.15
GB-GB	73.50	73.11	-0.532	72.84	-0.90
Travel Time by Taxi Service for (i,j) (Minutes)					
MB-MB	58.33	57.92	-0.707	57.65	-1.16
MB-GB	72.33	72.01	-0.444	71.75	-0.80
GB-MB	76.73	76.18	-0.711	75.85	-1.14
GB-GB	65.13	64.79	-0.529	64.55	-0.89
Monetary Travel Cost by Private Vehicle for (i,j) (LBP)					
MB-MB	1,701.39	1,694.13	-0.427	1,689.45	-0.70
MB-GB	2,527.46	2,519.10	-0.331	2,512.35	-0.60
GB-MB	2,674.59	2,660.89	-0.512	2,652.52	-0.83
GB-GB	2,119.76	2,111.63	-0.383	2,106.03	-0.65
PHI_{ijm} for BUS					
MB-MB	0.09	0.09	-1.032	0.09	-0.95
MB-GB	0.09	0.09	-0.681	0.09	-0.56
GB-MB	0.09	0.09	-0.967	0.09	-0.86
GB-GB	0.09	0.09	-0.665	0.09	-0.54
Waiting Time for Bus by (i,j) (Minutes)					
MB-MB	6.50	6.50	0.000	6.50	0.00
MB-GB	6.50	6.50	0.000	6.50	0.00
GB-MB	6.50	6.50	0.000	6.50	0.00
GB-GB	6.50	6.50	0.000	6.50	0.00
Traffic Load by (i,j)					
MB-MB	95,097	94,557	-0.568	94,599	-0.52
MB-GB	123,921	123,578	-0.277	123,567	-0.29
GB-MB	175,003	174,238	-0.437	174,298	-0.40
GB-GB	300,627	299,657	-0.323	299,685	-0.31
Weighted Rent by Location (LBP/ Sq. Meter)					
MB	382,538	380,644	-0.495	380,690	-0.48
GB	127,137	126,752	-0.303	126,767	-0.29

Weighted Value of Stocks by Location (LBP/ Sq. Meter)					
MB	9,651,538	9,616,590	-0.362	9,617,458	-0.35
GB	3,217,708	3,210,504	-0.224	3,210,794	-0.21
Construction of Residential Floor Space (Sq. Meters)					
MB	15,080	15,094	0.095	15,094	0.09
GB	218,712	218,675	-0.017	218,675	-0.02
Construction of Commercial Floor Space (Sq. Meters)					
MB	112,692	112,425	-0.238	112,431	-0.23
GB	1,324,943	1,322,521	-0.183	1,322,626	-0.17
Aggregate rent in the Region (MB & GB) (LBP)	22,497,353,364,096	22,392,372,315,685	-0.467	22,395,747,224,886	-0.45
Aggregate value in the Region (MB & GB) (LBP)	381,123,093,725,158	379,924,373,073,074	-0.315	379,972,335,325,608	-0.30
Aggregate Daily Non-work Person Trips	607,895	604,070	-0.629	604,203	-0.61
Aggregate Daily Vehicle Miles Travelled (Kilometers)	13,366,017	13,306,172	-0.448	13,309,479	-0.42
Aggregate Daily Gasoline Consumption (Liters)	1,620,915	1,608,214	-0.784	1,604,048	-1.04
Gross Nominal Regional Product(LBP)	19,412,277,163,440	19,297,008,461,800	-0.594	19,300,797,485,184	-0.57
Gross Real Regional Product	1,941,227,716,344	1,937,008,174,561	-0.217	1,937,179,763,597	-0.21
Inclusive Value					
IV of worker	9.18	9.18	-0.018	9.18	0.02
IV of non-worker	10.53	10.54	0.013	10.54	0.01
Different Sources of Tax Revenue (LBP)					
Gas Tax Revenue	244,911,661	243,053,201	-0.759	242,424,669	-1.02
Public Transit Revenue	192,707,342	194,710,904	1.040	194,461,213	0.91



Parking Tax Revenue	468,083,192	581,278,757	24.183	581,587,680	24.25
Compensating Variation (LBP)					
CV for Worker		-19,041		24,400	
CV for Non-worker		4,358.17		4,360.95	
CV		-5,735.92		13,005	
Social Welfare change per person by Region (LBP)					
SW for Parking Tax Increase (Tax Rate)		-47,204		-26,801	

Appendix B Data and Assumptions

B1. Study Area and Base Year

This study focuses on the capital Beirut and its suburbs, an area that is experiencing severe congestion, attributed mostly to the large number of cars on the road entering Beirut every day. In particular, the study area consists of two large zones: (i) Municipal Beirut – MB (districts 1, 2, and 3), and (ii) Greater Beirut – GB (districts 4, 5, and 6) excluding Municipal Beirut and extended to

Jounieh in the north and to Jiyeh in the south, as shown in Figure B1. The congestion north of Municipal Beirut extends as far as Jounieh at least, justifying the extension of Greater Beirut as a study area till Jounieh. Moreover, a previous research study (Chalak et al., 2016) conducted a transportation survey in 2013 among commuters residing and working in the same study area used here, and so data from the Chalak et al. (2016) study are used as needed here. For this reason, 2013 is considered to be the base year of the current study even though not all the needed data items are readily available for 2013.

Figure B1. Beirut Study Area Map



B2. Travel Characterization

B2.1 Modes of Commuting

The current modes of commuting in Lebanon are private car, bus (with capacity of 24-33 passengers), minibus or van (with capacity of 14 passengers), shared taxi or jitney (known locally as service, with capacity of 4 passengers), private taxi, walk, bike, and motorcycle. The first four modes are the most widely used for trip making in Beirut and constitute the focus of this study. A recent study by IBI Group and TEAM (2009) reports the following modal split in the study area: private car: 80.6%, taxi-Service: 6.7% (6% service and 0.7% private taxi), minibus or van (with capacity of 14 passengers; often driver owned and operated): 10.9%, and bus: 1.75%. Most of the buses and minibuses are operated by the private sector in an unregulated manner.

B2.2 Travel Attributes by Mode

Travel time data for car trips in the peak hour is based on reported travel times “on a bad day” from a 2013 survey (Chalak et al., 2016) which was conducted with car commuters who reside and work in the study area, weighted by zone-to-zone number of AM peak hour trips at the population level. The numbers were verified through a personal interview with Mr. Rami Semaan from TMS Consult, 2016. No travel time data from a transport model were available for this study due to the proprietary nature of such data. The in-vehicle travel time for the other modes is computed by applying a factor to the car in-vehicle travel time, suggested by the public transport revitalization study by IBI Group and TEAM (2009): 1.45 for bus, 1.25 for minibus, and 1.10 for taxi-service. Average waiting times for bus and minibus (assumed to be half the headway) and access/egress times are determined based on personal observation and measurements. We got the average waiting time and access/egress time for taxi-service are obtained from the public transport revitalization from the same study (see Table B1).

The total cost of a one-way commute by car is the sum of the fuel cost and half the daily parking rate. There are no tolls in Beirut. Car average daily parking costs were derived from the 2013 survey (Chalak et al., 2016), weighted by the number of trips to each of the districts to get the averages for MB and GBA with further adjustment based on judgement. The average car fuel efficiency is assumed to be 170 km/20 liters of fuel or 0.1176 liter/km driven as in the IBI Group and TEAM (2009) study. Fuel cost (gasoline for passenger cars) is then computed as the product of the fuel efficiency, the gasoline price of 33,000 LBP/20 liters (or 1,650 LBP/liter) in 2013, and the distance to work (km). The bus and minibus fares are the standard fares in operation. Taxi-service fare is based on the service fare (which is decided based on trip distance) since the private taxi share of trips is very small. Distance is based on reported distance from the 2013 survey, weighted as in the method used to calculate travel time. The average speed of traffic is calculated as the average distance divided by the average in-vehicle travel time by the corresponding mode and verified using several sources.

Table B1. Travel time, average speed and cost of transportation in Beirut

Attribute	MB to MB	GB to MB	MB to GB	GB to GB
Car in-vehicle time (min)	42.1	57.0	53.0	46.4
Car door-to-door time (min)	45.6	60.1	54.4	48.2
Bus in-vehicle time (min)	61.1	82.7	76.8	67.3
Minibus in-vehicle time (min)	52.6	71.3	66.2	58.0
Taxi-service in-vehicle time (min)	46.3	62.7	58.3	51.1
Bus waiting time (min)	6.5	6.5	6.5	6.5
Minibus waiting time (min)	0.5	0.5	0.5	0.5
Taxi-service waiting time (min)	6	6	6	6
Bus access + egress time (min)	10	15	15	15
Minibus access + egress time (min)	10	15	15	15
Taxi-service access + egress time (min)	6.03	8.03	8.03	8.03
Car daily parking cost, including free parking (LBP)	1,466.1	1,466.1	500	500
Car fuel cost (LBP)	1,282.8	2,394.6	2,319.2	1,828.5

Car cost per vehicle trip (LBP)	2,015.8	3,127.6	2,569.2	2,078.5
Bus fare (LBP)	1,000	1,000	1,000	1,000
Minibus fare (LBP)	1,000	1,000	1,000	1,000
Taxi-service fare (LBP)	2,000	4,000	4,000	4,000
Distance (km)	6.6	12.3	11.9	9.4
Car speed (km/h)	9.4	13.0	13.5	12.2
Bus speed (km/h)	6.5	9.0	9.3	8.4
Minibus speed (km/h)	7.5	10.4	10.8	9.7
Jitney speed (km/h)	8.6	11.8	12.3	11.1

1 USD = 1,500 LBP (Lebanese Pounds)

Source: MOE (2005); IBI Group and TEAM (2009); TMS Consult (2016)


Note: that the total travel time by bus, minibus, and taxi-service can be computed as the sum of in-vehicle travel time (Section 2.2), waiting time (Section 3), and access-egress times (Section 6).

B2.3 Car Type, fuel type, unit fuel consumption and prices

According to the Association of Car Importers in Lebanon for the year 2014 (UNDP/First Climate/ECODIT, 2016), the distribution of white plate passenger cars in Lebanon by car size¹² is as follows: 16.24% small cars, 51.35% midsize cars, and 32.41% large cars. 51.25% of cars are manufactured before year 2000, while 48.75% are manufactured after 1999. Passenger cars run on gasoline. Buses run on diesel and minibuses run on gasoline. Based on data as of June 2013, fuels prices are 1,650 LBP/liter and 1,250 LBP/liter for gasoline and diesel, respectively. Buses and minibuses have a fuel consumption rate of about 0.25 liter/km (MoE/UNDP/GEF, 2015). Based on IBI Group and TEAM (2009), the car occupancy rate is 1.7 (including driver), the bus occupancy rate is 11.20 (excluding driver), the minibus occupancy rate is 5.93 (excluding driver), and the shared and exclusive taxi occupancy rate is 1.18 (excluding driver). Based on the same study, the distribution of peaking factors is presented in **Error! Reference source not found.**

Figure B2. Hourly volume as a percent of daily volume

¹² Small vehicles are classified as vehicles with weight < 1 ton, engine size ≤ 1.4 liters, engine output < 15 HP. Midsize vehicles are those with weight 1 to 1.5 tons, engine size 1.4 to 2.3 liters, engine output 15 to 24 HP. Large vehicles are those with weight > 1.5 tons, engine size > 2.3 liters, engine output > 24 HP.



Source: IBI Group and TEAM (2009)

B2.4 Number trips by mode and origin and destinations

AM peak hour trips (from 7-8 AM) by car are based on data used in Chalak et al. (2016). Assuming that the same number of trips will be made in the PM peak hour in the reverse direction, and using a peaking factor of 6.71% for the AM peak as a percentage of daily trips, the daily trip patterns by car are derived. Person trips are obtained from car trips using an average car occupancy of 1.7 as mentioned above. Total daily person trips by all motorized modes is obtained knowing that car person trips constitute 80.6% of all trips in the study area (IBI Group and TEAM, 2009). Finally, work and made by residents in the study area are obtained knowing the total employment in the study area and number of jobs occupied by non-residents, and non-work trips are then the balance between daily trips for all purposes and daily work trips (see Table B2a). External trips made by non-residents and by residents of the study area (with one trip end inside the study area and another trip end outside the study area) are obtained by applying factors to the internal trips made by residents, where these factors are derived from DAR-IAURIF (2005). The percentage of jobs in the study area occupied by non-residents and the distribution of non-resident trips by work or non-work purposes are obtained from Harris and IBI Group (2003). The external trip matrices are presented in Table B2(b).

Table B2. Number trips by mode and origin and destinations

(a) Internal trips

Attribute	MB to MB	GB to MB	MB to GB	GB to GB
AM peak hour vehicle trips by car	21,587	18,406	16,144	23,296

Daily vehicle trips by car	321,714	257,452	257,452	347,183
Daily person trips by car	546,914	437,668	437,668	590,212
Daily person trips by all motorized modes	678,553	543,012	543,012	732,272
Total daily person work trips	120,072	197,595	197,595	398,888
Total daily person non-work trips	558,481	345,417	345,417	333,384

(b) External trips

	Outside study area to MB	Outside study area to GB	MB to outside study area	GB to outside study area
Daily trips by non-residents	122,339	136,949	122,339	136,949
Daily work trips by non-residents	40,006	75,118	40,006	75,118
Daily non-work trips by non-residents	82,334	61,830	82,334	61,830
Daily trips by residents	42,285	44,144	42,285	44,144
Daily work trips by residents	24,525	25,604	24,525	25,604
Daily non-work trips by residents	17,760	18,541	17,760	18,541

Source: Author's estimations based on various sources

B3. Socioeconomic and demographic data

Data on the income of employed individuals and on household income is obtained from the Central Administration of Statistics (CAS) from its Living Conditions Survey that was conducted in 2007 (CAS, 2007). The population and employment estimates were supplied by Mr. Rami Semaan from TMS Consult and have been estimated based on 2014 data (excluding Syrian refugees and Palestinian refugee camps population). Missing data for certain zones of the study area were inferred based on population and employment density maps. The number of workers and non-workers is inferred from the work and non-work trip patterns discussed before and validated with CAS (2007). The number of households is calculated given the population estimate and the average household size from CAS (2007). The socioeconomic and demographic data are presented in Table B3.

Table B3. Socioeconomic and demographic data

Characteristic	Municipal Beirut	Greater Beirut
Average employed individual's monthly salary (LBP)	909,000	719,174
Median employed individual's monthly salary (LBP)	700,000	-
Average household monthly salary (LBP)	1,586,200	1,189,436
Population, 2014	445,282	882,231
Households, 2014	118,742	220,183
Number of residing workers, 2014	183,359	323,845
Number of residing non-workers, 2014	261,923	558,386
Employment, 2014	198,839	373,360

B4. Public transportation and infrastructure

Roads are classified as international roads, primary roads, secondary roads, and local roads. The total length and area of roads by type in the study area are obtained from personal communication with Dr. Hani Al-Naghi using GIS and are shown in Table B4.

Table B4. Road length and area by road class in Municipal Beirut and Greater Beirut

Road Class	Municipal Beirut		Greater Beirut	
	Length (m)	Area (m ²)	Length (m)	Areas (m ²)
International Roads	32,578	410,483	121,838	1,535,159
Primary Roads	42,681	373,459	90,816	794,640
Secondary Roads	96,701	986,350	377,123	3,846,655
Local Roads	288,619	1,904,885	1,684,713	11,119,106
Total	460,579	3,675,177	2,274,490	17,295,559

Data about average road construction cost estimates in US dollars per square meter were obtained from personal communication with Mr. Walid Osman (Ministry of Public Works and Transport).

Table B5. Road construction costs by road class

Road Class	Construction Cost Estimate (\$/m ²)
International Roads	\$35
Primary Roads	\$25
Secondary Roads	\$20
Local Roads	\$16

Note: These numbers exclude costs of side infrastructure (walls, channels, culverts, barriers, etc.) but include VAT

There are 18 bus/minibus lines serving Beirut and GB and some outlying areas, most of which are unregulated and privately owned. Based on personal observation as well as on Farhat (2015), we categorize bus/minibus operation into three types as follows: (i) Case 1 (14 lines): There is one main operator of the bus line, and bus drivers are employees for the main operator. (ii) Case 2 (3 lines): The bus/minibus vehicles are privately owned or rented by individual drivers who pay a parking fee for parking operators. The revenues from ticket sales constitute the daily revenue for the drivers; (iii) Case 3 (1 line): Similar to case 2, but the drivers do not pay a parking fee.

For a Case 1 line, the costs and revenues pertain to the main operator of the line. For a Case 2 or Case 3 line, the costs and revenues are those that pertain to the individual drivers on these lines; they are summed up across vehicles operating on a daily basis on a certain line to arrive at a total cost and revenue figure for the corresponding line. A number of assumptions are employed in the calculation of costs and revenues, based on interviews with bus/minibus drivers, articles available online, and judgment to match some controls (e.g. the total number of buses operating on a line). These assumptions pertain to type of vehicle used (bus or minibus) on a line, headway, hours of operation, number of round trips per day, average route speed, number of days of operation per month, and various operational cost and revenue related parameters. Given the route length, the average route speed and headway, and number of shifts per day on a given bus/minibus, the estimated number of buses/minibuses on each line are estimated in Table B6.

Table B6. Number of buses and minibuses by route

Line Number	Case (1,2,3)	Number of buses/day	Number of minibuses/day	Total vehicles/day
1	2	11	169	180
2	1	16	-	16
3	1	9	-	9
4	2	11	167	178
5	1	15	-	15
6a	1	21	-	21
6b	1	14	-	14
7	1	49	-	49
9	1	5	-	5
12	1	5	-	5
14	1	17	-	17
15a	1	15	-	15
15b	1	13	-	13
15c	1	13	-	13
16	1	16	-	16
24	1	4	-	4
A	2	11	180	191
Cola-Tripoli	3	30	475	505
	Total	275	991	1,226

Based on interviews we conducted with bus and minibus drivers, the cost of a new bus (generally Mitsubishi) is around \$94,000. And the cost of a new minibus is around \$37,000 (excluding the cost of the red plate).

B5. Land Use and Real Estate Data

Table B7 summarizes for each of MB and GB the total area of these districts, the area occupied by buildings by type, the unusable land (including existing roads), and the land area that can be further developed in each district. The total land area is obtained from a GIS file of the zones in the study area (with the addition of the area of reclaimed land in the sea in Municipal Beirut as well as in Greater Beirut). The land area occupied by buildings was computed using Google Earth as the plan view/roof area, excluding parking lots, green spaces, and any open spaces within a building. Some of the remaining land area that is not yet developed is unusable for further development such as public parks, graveyards, rivers, the airport field, and the golf course. Palestinian refugee camps were not included in the “unusable land” because their areas were incorporated under built up spaces. The total unusable area also includes empty spaces within buildings and setbacks which were estimated using an average investment ratio for each zone based on the "Building Law and Regulations in Lebanon" issued in 1995 by the Order of Engineers and Architects (OEA). Note that the residential category includes land area occupied by Palestinian refugee camps. The latter constitute 18,416 m² in Municipal Beirut and 867,048 m² in Greater Beirut.

Table B7. Developed, Unusable, and Developable Land Area in Municipal and Greater Beirut

Land type	Municipal Beirut	Greater Beirut
-----------	------------------	----------------

Total Area (km ²)	20.45	150.55
Total Building Areas (km ²)	7.723	25.753
Industrial (m ²)	208,351	2,073,515
Commercial (m ²)	1,400,325	4,091,208
Mixed Residential (m ²)	1,212,557	2,136,980
Residential (m ²)	4,516,119	15,995,164
Public & Government (m ²)	385,502	1,456,489
Built/Zone (%)	38%	17%
Unusable Land Area Including Roads (km ²)	8.072	72.192
Land Area that Can Be Further Developed (km ²)	4.65	52.61

Land value and rental prices: Land value price estimates were derived based on interviews with real estate agents. The figure for MB is relatively high and this is driven mostly by very high prices in the Beirut Central District and seafront area of Municipal Beirut. Purchase prices of residential apartments were obtained from RAMCO for MB (based on analysis by RAMCO of 345 residential buildings under construction in Municipal Beirut in 2015 as reported in Blominvest Bank, 2015; Delmendo, 2015; iLoubnan.info, 2015). The prices for GB are obtained from INFOPRO Research, who compiled based on limited data for selected Beirut suburbs but these pricing data were validated through interviews with real estate agents. Based on personal communication with RAMCO researchers and other real estate agents, the annual rental values were estimated to be, on average, around 3% of the purchase price of an apartment. All pricing data are for year 2013. For office buildings, rental prices were obtained from a real estate agent for MB and was validated with sources.¹³ The rental values of office buildings in GB vary between 100 and 150 \$/m²/year, and we use the average of this range as representative of office rental prices in Greater Beirut. The average dwelling size for first floor apartments under construction in Beirut was obtained from RAMCO, and for GB from interviews with several real estate agents based on the most currently sellable apartments. The value for MB is significantly higher than that for GB due to the fact that high income neighborhoods in Municipal Beirut (the sea front, Solidere, Ain Mreisseh, Ramleh Baida, etc.) have apartments with larger areas because their market targets are buyers from the Gulf; many of these high-end apartments remain vacant and they drive upwards the average size of apartments in Municipal Beirut. Data on housing and rental prices are summarized in Table B8.

Table B8. Housing and rental prices

Data item	Municipal Beirut	Greater Beirut
Land value \$/m ² (in 2013)	11,192	1,630
Rental price/m ² /year for residential apartments (in 2013)	117.2	55.7
Rental price/m ² /year for retail (in 2014)	375	178.2
Rental price/m ² /year for office (in 2013)	194	125
Average dwelling size (m ²)	238	154

¹³ See, for example,

http://investinlebanon.gov.lb/en/doing_business/cost_of_doing_business?catId=54&businessId=234.



References used in Appendix B

- Abdul Rahim, N. (2014). *LEBANON INFRASTRUCTURE PROJECTS*. *Invest-export.irisnet.be*. Retrieved 9 February 2016, from <http://www.invest-export.irisnet.be/documents/16349/1140665/Lebanon+-+Infrastructure+projects+2014.pdf/47837c4c-8411-4dbe-afa6-6a2566d818ff>
- Bankmed (2016). “Analysis of Lebanon’s Real Estate Sector”. Retrieved 3 June 2016, from <http://www.bankmed.com.lb/BOMedia/subservices/categories/News/20160318081258656.pdf>
- Blominvest Bank (2015). “RAMCO: Sales Prices of Apartments under Construction in Beirut between \$2,088 and \$7,000 per SQM”. Retrieved 26 April 2016, from <http://ramcolb.com/pdf/BlomInvest14July201.pdf>
- Blominvest Bank (undated). “RAMCO: The F&B Industry is “Dictating” the Development of Retail Hubs across Beirut”. Retrieved 26 April 2016, from <http://blog.blominvestbank.com/ramco-the-fb-industry-is-dictating-the-development-of-retail-hubs-across-beirut/>
- Blominvest Bank (undated). “RAMCO: Beirut’s Total Office Space Projects Tally 195,694 SQM”. Retrieved 26 April 2016, from <http://blog.blominvestbank.com/ramco-beirut-total-office-space-projects-tally-195694-sqm/>
- Central Administration of Statistics (2007). Living Conditions Survey report.
- Chalak, A., Al-Naghi, H., Irani, A., and Abou-Zeid, M. (2016) “Commuters’ Behavior towards Upgraded Bus Services in Greater Beirut: Implications for Greenhouse Gas Emissions, Social Welfare and Transport Policy”, forthcoming in *Transportation Research Part A*.
- DAR-IAURIF (2005) *National Physical Master Plan of the Lebanese Territory*, Final report. Report prepared for the Council of Development and Reconstruction.
- Delmendo, L. C. (2015) “Lebanon’s Property Market Remains Depressed, Amidst Regional Political Turmoil”. Retrieved 26 April 2016, from <http://www.globalpropertyguide.com/Middle-East/Lebanon/Price-History>
- DMJM + Harris and IBI Group (2003) *Beirut Suburban Mass Transit Corridor Feasibility Study*, Final report – Phase I. Report prepared for the Ministry of Transportation and Public Works.
- Farhat, R. (2015). Almodon. Retrieved 14 March 2016, from <http://www.almodon.com/economy/2015/3/17/%D9%85%D8%A7%D9%81%D9%8A%D8%A7%D8%AA-%D8%A7%D9%84%D9%86%D9%82%D9%84-%D8%A7%D9%84%D8%B9%D8%A7%D9%85-%D8%A7%D9%84%D8%B9%D9%85%D9%84-%D8%A8%D9%84%D8%A7-%D8%AE%D8%B7%D9%88%D8%B7-%D8%AD%D9%85%D8%B1%D8%A7%D8%A1>
- Gicome (undated). *Public Works*. Retrieved 9 February 2016, from <http://www.gicome.com/img/5- Projets.pdf>
- Hamdan, A. (2007). Al-Khiam. Retrieved 26 April 2016, from <http://www.khiyam.com/news/article.php?articleID=2265>



IBI Group and TEAM (2009) *Study for the Revitalization of the Public and Freight Transport Industry in Lebanon*, Final report - Component A – Public Transport. Report prepared for the Ministry of Public Works and Transport.

IDAL (2014) “Cost of Doing Business: Office and Retail Rental Cost”. Retrieved 3 June 2016, from

http://investinlebanon.gov.lb/en/doing_business/cost_of_doing_business?catId=54&businessId=234

IDAL (2014) “Cost of Doing Business: Apartments Prices and Rental Cost”. Retrieved 3 June 2016, from

http://investinlebanon.gov.lb/en/doing_business/cost_of_doing_business?catId=54&businessId=145

iLoubnan.info (2015). “THE AVERAGE PRICE OF A FIRST FLOOR APARTMENT IN BEIRUT IS OF USD 3,720 PER SQM”. Retrieved 26 April 2016, from

<http://ramcolb.com/rnews/219/The+average+price+of+a+first+floor+apartment+in+Beirut+is+of+USD+3%2C720+per+SQM>

iLoubnan.info (2016) “34 office projects are under construction in Beirut”. Retrieved 26 April 2016, from <http://ramcolb.com/pdf/ILoubnan6April2016.pdf>

INFOPRO Research (2013). *Business Opportunities in Lebanon – Year XI: “Real Estate in Greater Beirut”*. Retrieved 26 April 2016, from

<http://www.databank.com.lb/docs/Real%20Estate%20Prices%20In%20Greater%20Beirut%20and%20suburbs-InfoPro%202014.pdf>

Ministry of Environment (2005). *National Environmental Action Plan*. Beirut: Ministry of Environment.

MoE/UNDP/GEF (2015) *National Greenhouse Gas Inventory Report and Mitigation Analysis for the Transport Sector in Lebanon*. Beirut, Lebanon.

Ministry of Public Works and Transport (2007) “Public Transport Sector in Lebanon”. Seminar on Safe and Sustainable Mobility in Mediterranean Cities, Barcelona, 10-14 December 2007.

Mohtar, A. and Samaha, P. (2016) “Decoding an Urban Myth: An Inquiry into the Socio-Economics of Van Number 4 in Beirut”, *Jadaliyya*. Retrieved 26 April 2016, from

<http://www.jadaliyya.com/pages/index/23511/decoding-an-urban-myth-an-inquiry-into-the-socio-en#.VqztFu-XcDM.twitter>

Saarti, R. (2015). *Al-Joumhouria*. Retrieved 28 March 2016, from

<http://www.aljoumhouria.com/news/index/145844>

Sakr, E. (2014) “Real Estate Demand Shifts to Suburbs”. *The Daily Star*. Retrieved 26 April 2016, from <http://www.dailystar.com.lb/Business/Lebanon/2014/Mar-17/250434-real-estate-demand-shifts-to-suburbs.ashx>

TEAM, IAURIF, and SOFRETU (1995) *Greater Beirut Transportation Plan*. Report prepared for the Council of Development and Reconstruction.

UITP (2016). *MENA Transport Report 2016*. Draft report.



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

Transportation Research Procedia 00 (2018) 000–000

Transportation
Research
Procedia

www.elsevier.com/locate/procedia

UNDP/First Climate/ECODIT (2016) *Nationally Appropriate Mitigation Action in Lebanon's Private Road Transport Sector (FEVs): Draft NAMA Proposal and Design Document*. Report prepared for the Ministry of Environment.

Zawarib.org. (2013). *Beirut Bus Map* | Zawarib SARL | The Mapping Company. Retrieved 19 January 2016, from <http://zawarib.org/portfolio/beirut-bus-map/>